

# COMMUNITY Beaver City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	60 West Center; P.O. Box 271; Beaver, UT 84713
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	13
5. Number of PT Employees:	4 (8 summer hires)
Fire	
1. Addresses of Fire Stations	51 North 100 East (Conrad Grimshaw - Old Fire Station) 1170 North Highway 357 (Fire Station and Ambulance Garage)
2. Service Area (Portion of Town or All)	East side of County
3. Average Response Time (2.5-4 min.)	3-4 Minutes
4. Town/City Fire Dept. or Fire District?	Special Service District #1
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>4,500</u> sq. ft. # of Bays <u>4</u>
7. Fire ISO Rating	5
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) _____ ; _____ Manufacturer (American Lafrance, Ford, etc.) _____ ; _____ Capacity (2,000 G.P.M.) _____ ; _____ Year of Vehicle (1974 etc.) _____ ; _____ Condition (poor, fair, good, excellent) _____ ; _____
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>25</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>3</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>1 Additional Engine</u> Facilities <u>N/A</u>
12. Fire personnel needs during next five years?	Full-Time <u>1</u> Part-Time <u>0</u> Volunteers <u>10</u> EMT <u>0</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Contract with Beaver County Sheriff Department
2. Average Response Time (Minutes)	3-5 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes (County Jail)
4. Number of Police Vehicles	14 <u>24</u> Full-time Corrections Officers
5. Number of Employees	# Full-time Police <u>11</u> # of Part-time Police <u>0</u>
6. Personnel needs during next 5 years	# Full-time <u>3</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Library, 55 West Center Street; Civic Center ,81 East Center Street (Opera House/Senior Citizen Center); 10<sup>th</sup> Street Community Center (Old High School Cafeteria); Beaver Valley Hospital, 1109 North 100 West; Beaver Medical Clinic, 1059 North 100 West; Beaver Valley Long-Term Care Facility, 1069 North 100 West</p> <p>Swimming Pool, 465 East 300 North; 3 Parks; 3 Picnic Pavilions; 2 Tennis Courts; Skateboard Park in process; Baseball diamonds (5 current, 4 in process); Rodeo Grounds/Race Track/Golf Course</p> <p>Yes</p> <p>Additional baseball diamonds and skateboard park (in process)</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Total Containment Lagoons (6)</p> <p>Yes</p> <p>Yes (Recently completed upgrade)</p> <p>Yes (Good for another 25 years)</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>2</u> Springs <u>13</u> Surface Water _____</p> <p>400 gpm Springs      1.725 gpm Wells</p> <p>Two 500,000 gallons; One 1 million gallon; One 350,000 gallon; and One 2 million gallon</p> <p>Residential <u>1,500</u> Commercial <u>200</u></p> <p>Residential 8,500 gallons/month</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes      (Piped Irrigation Water)</p>

## Jurisdiction's Self-Assessment

### Beaver City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	10	
Fire Department Equipment	10	
Fire Department Staffing/Volunteers	5	
Police/Public Safety Facilities	10	
Police/Public Safety Staffing	10	
Recreational Facilities	2	
Community Sewer System	9	
Culinary Water System Source	8	
Culinary Water System Storage	9	
Culinary Water System Distribution	8	
Streets and Roads	9	
Streets and Roads Maintenance	6	
Solid Waste Disposal	9	
Health Care (public or private)	9	
Animal Control Services	8	
Court Facilities	10	
Jail Facilities	10	
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Milford City

General Administration	
1. Government Type:	Manager by Ordinance
2. City Office Address:	26 South 100 West, Milford, UT 84751
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	9
5. Number of PT Employees:	5-6
Fire	
1. Addresses of Fire Stations	300 South 100 West, Milford, UT and 241 South Main, Milford, UT; 60 West Main Street, Minersville
2. Service Area (Portion of Town or All)	Milford, Minersville and all of West Beaver County
3. Average Response Time (2.5-4 minutes)	2-4 Minutes
4. Town/City Fire Dept. or Fire District?	SSD #2
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>4,800</u> sq. ft. # of Bays <u>6</u>
7. Fire ISO Rating	5
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1972 LaFrance Engine; 1960 Coast Engine;</u> <u>1984 Chevrolet one-ton Brush Truck; Rescue Brigadier; and</u> <u>1976 Superior (Support Vehicle–Old Ambulance)</u>  Condition (poor, fair, good, excellent) <u>All vehicles are considered to be in good condition</u>
9. Firefighters	# of FT Firefighters <u>1</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>25</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>3</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs	Vehicles <u>1 New Engine</u> Facilities _____
12. Fire personnel needs during next five years?	Full-Time <u>1</u> Part-Time <u>0</u> Volunteers <u>10</u> EMT <u>0</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Contract with Beaver County Sheriff Department
2. Average Response Time (Minutes)	2-5 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	<u>14</u> Full-Time Corrections Officers <u>24</u>
5. Number of Employees	# Full-time Police <u>11</u> # of Part-time Police <u>0</u>
6. Personnel needs during next 5 years	# Full-time <u>3</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p>	<p>Library, 400 South 100 West; Senior Citizens Center, 415 North 100 West</p> <p>Three Community Parks; 1 Golf Course; 1 Picnic Pavilion; Baseball Diamond; Rodeo Arena in one Park; Swimming Pool, 141 North 200 West; Tennis Courts–(belong to Beaver County School District)</p>
<p>2. Are all of the above fully ADA Accessible? (Yes/No)</p>	<p>Yes</p>
<p>3. Additional recreation facilities needed during next five years</p>	<p>Expansion of Golf Course</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p>	<p>Yes</p>
<p>2. Type of System (i.e. lagoon, sewage treatment plant)</p>	<p>Lagoon</p>
<p>3. Is system functioning as designed? (Yes/No)</p>	<p>Yes</p>
<p>4. Is system adequate for current use? (Yes/No)</p>	<p>Yes</p>
<p>5. Does City/Town believe system will be adequate for next five years?</p>	<p>No</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p>	<p>Wells <u>  2  </u> Springs <u>      </u> Surface Water <u>      </u></p>
<p>2. Total gallons (per day) source water available</p>	<p>1,000 g.p.m.</p>
<p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p>	<p>1.9 million gallons</p>
<p>4. Number of water connections</p>	<p>Residential <u>  600  </u> Commercial <u>  50  </u></p>
<p>5. Average overall daily use in gallons</p>	<p>380,400</p>
<p>6. Average per connection use in gallons</p>	<p>735</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

## Jurisdiction's Self-Assessment

### Milford City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	10	10
Fire Department Equipment	10	10
Fire Department Staffing/Volunteers	10	10
Police/Public Safety Facilities	10	10
Police/Public Safety Staffing	10	10
Recreational Facilities	1	4
Community Sewer System	4	4
Culinary Water System Source	9	9
Culinary Water System Storage	9	9
Culinary Water System Distribution	8	7
Streets and Roads	1	2
Streets and Roads Maintenance	1	1
Solid Waste Disposal	4	4
Health Care (public or private)	2	2
Animal Control Services	9	9
Court Facilities	10	10
Jail Facilities (County)	10	10
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Minersville Town

General Administration	
1. Government Type:	Mayor/Town Council
2. City Office Address:	60 West Main; P.O. Box 159; Minersville, UT 84752
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	1
5. Number of PT Employees:	2 (plus 4 on call part-time and seasonal)
Fire	
1. Addresses of Fire Stations	70 West Main Street; Minersville, Utah
2. Service Area (Portion of Town or All)	Town and surrounding area
3. Average Response Time (2.5-4 minutes)	3-4 Minutes
4. Town/City Fire Dept. or Fire District?	SSD #2
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>Bldg. #1 = 500</u> sq. ft. # of Bays <u>4</u> (2 <sup>nd</sup> building 900 sq. ft.)
7. Fire ISO Rating	5
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1963 International Engine; 1972 International Engine;</u> <u>1984 Chevrolet Brush Truck; 1974 Chevrolet Tender Truck;</u> <u>1974 GMC Extraction Rescue Truck</u>  Condition (poor, fair, good, excellent) <u>All equipment considered to be in good condition</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>25</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>3</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>1 New Engine</u> Facilities <u>N/A</u>
12. Fire personnel needs during next five years?	Full-Time <u>1</u> Part-Time <u>0</u> Volunteers <u>10</u> EMT <u>0</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Town Marshall
2. Average Response Time (Minutes)	5 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	1 Truck
5. Number of Employees	# Full-time Police <u>1</u> # of Part-time Police <u>0</u>
6. Personnel needs during next 5 years	# Full-time <u>1 Town Marshall</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Senior Citizens Center, 245 South Main Street; Library, 40 West Main Street</p> <p>Swimming Pool, 61 West 100 South; 2 Parks with pavilions and picnic facilities; ballfields; playgrounds; fairgrounds with rodeo arena (Beaver County facility located in Minersville); benches and building; 1 park and ballfield (owned by LDS Church)</p> <p>Recently acquired property from Beaver County School District (Old Elementary School). Have installed playground equipment, pavilion and restrooms at this site.</p> <p>No</p> <p>Need additional sports fields; basketball courts; picnic tables; playgrounds; handicap accessible restrooms; walking, biking, and riding trails; and rehabilitation of rodeo/fairgrounds.</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Lagoon</p> <p>Yes</p> <p>Yes</p> <p>Yes (20 years)</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>  1  </u> Springs <u>  2  </u> Surface Water <u>      </u></p> <p>500,000 (1 new tank)</p> <p>Residential <u> 279 </u> Commercial <u>  1 </u> School <u>      </u> Agric. <u> 28 </u></p> <p>4,949,000 Residential   2,703 gal. Agriculture</p> <p>35,000 monthly</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes    (Under Irrigation Company)</p>

## Jurisdiction's Self-Assessment

### Minersville Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	7	
Fire Department Equipment	7	
Fire Department Staffing/Volunteers	5	
Police/Public Safety Facilities (County)	N/A	
Police/Public Safety Staffing (County) - 1 Town Marshall	N/A	
Recreational Facilities	5	
Community Sewer System	9	
Culinary Water System Source	8	
Culinary Water System Storage	6	
Culinary Water System Distribution	8	
Streets and Roads	6	
Streets and Roads Maintenance	6	
Solid Waste Disposal	N/A	
Health Care (public or private)	N/A	
Animal Control Services	5	
Court Facilities	N/A	
Jail Facilities	N/A	
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Antimony Town (2005 Information)

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	134 North Highway 22; P.O. Box 120046, Antimony, UT 84712
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	0
5. Number of PT Employees:	1
Fire	
1. Addresses of Fire Stations	Center of Town
2. Service Area (Portion of Town or All)	Town and surrounding area (15 mile radius)
3. Average Response Time (2.5-4 minutes)	5-10 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>2,400</u> sq. ft. # of Bays <u>2</u>
7. Fire ISO Rating	10
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1991 F 350 Ford "Little Red"; 1971 International Pumper ; 1989 Wildland Truck; 1958 Fire Engine to be donated to Museum in Salt Lake City</u>
	Condition (poor, fair, good, excellent) <u>All vehicles in fair to good condition</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>5-6</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>0</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>None at this time</u> Facilities <u>None</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>As volunteer</u> EMT <u>0</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Service Provided by Garfield & Piute Sheriff Departments
2. Average Response Time (Minutes)	Varied Response Time
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	8
5. Number of Employees	# Full-time Police <u>8</u> # of Part-time Police <u>1</u>
6. Personnel needs during next 5 years	# Full-time <u>0</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Park with Tennis Court; Playground and 3 Pavilions; Daughters of Utah Pioneers Museum; New Community Center with ½ Basketball Court, with kitchen for group events</p> <p>Yes</p> <p>New Library</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells _____ Springs <u>2</u> Surface Water _____</p> <p>210,516 gallons</p> <p>500,000 gallons (3 Tanks)</p> <p>Residential <u>120</u> Commercial <u>3 (Rockin' R)</u></p> <p>1,711 gallons daily</p> <p>Approximately 40,000 gallons a month per household</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>No</p>

# Jurisdiction's Self-Assessment

## Antimony Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	5	5
Fire Department Equipment	5	5
Fire Department Staffing/Volunteers	1	1
Police/Public Safety Facilities	5	5
Police/Public Safety Staffing	5	5
Recreational Facilities	4	5
Community Sewer System	N/A	
Culinary Water System Source	8	8
Culinary Water System Storage	9	9
Culinary Water System Distribution	7	8
Streets and Roads	5	5
Streets and Roads Maintenance	5	5
Solid Waste Disposal	7	7
Health Care (public or private)	8	8
Animal Control Services	8	8
Court Facilities	8	8
Jail Facilities	8	8
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY Boulder Town

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	351 North 100 East; P.O. Box 1329; Boulder, UT 84716
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	None
5. Number of PT Employees:	3
Fire	
1. Addresses of Fire Stations	55 East 300 North; Boulder, UT
2. Service Area (Portion of Town or All)	Town and surrounding area (10 mile radius)
3. Average Response Time (2.5-4 minutes)	10 Minutes
4. Town/City Fire Dept. or Fire District?	Boulder Town Volunteer Fire Department
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>3,280</u> sq. ft. # of Bays <u>5</u>
7. Fire ISO Rating	6/9
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1991 Ford 1-ton 500 gpm mini pumper; 1995 International 1,000 gmp pumper; 1986 Chevrolet Rescue/Response Truck (No fire fighting capacity); 1978 International Brush Truck</u>
9. Firefighters	Condition (poor, fair, good, excellent) <u>1991 &amp; 1995 good condition; 1986 fair condition</u> # of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>15</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>3</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>1 Water Tanker; 1 Rescue/Equipment Truck to replace Chevrolet</u> Facilities
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>5</u> EMT <u>5</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Served by Garfield County Sheriff Department
2. Average Response Time (Minutes)	Varied Response Time (Local deputy resides in Boulder)
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	8
5. Number of Employees	# Full-time Police <u>8</u> # of Part-time Police <u>1</u>
6. Personnel needs during next 5 years	# Full-time <u>0</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Anasazi Indian Village Museum; Community Center; Community Park with Playground; Baseball Field; Basketball Court and Picnic Tables; Library</p> <p>Yes</p> <p>In process of doing new park with trails, public restrooms, pavilion and picnic tables</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>Yes</p> <p>Yes</p> <p>Yes (Need to study for future growth)</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>1</u> Springs <u>1</u> Surface Water _____</p> <p>50,000 gallons per connection (residential/commercial)_</p> <p>Served by 6 Private Water Companies - Main Water Company has 3 Tanks providing 400,000 gallons storage capacity</p> <p>Residential/Commercial <u>115</u></p> <p>50,000 gallons per day available for use</p> <p>50,000 gallons per day available for use per connection</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

## Jurisdiction's Self-Assessment

### Boulder Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	8	8
Fire Department Equipment	6	7
Fire Department Staffing/Volunteers	7	7
Police/Public Safety Facilities	8	8
Police/Public Safety Staffing	8	7
Recreational Facilities	5	6
Community Sewer System	N/A	N/A
Culinary Water System Source	8	8
Culinary Water System Storage	8	8
Culinary Water System Distribution	5	6
Streets and Roads	7	7
Streets and Roads Maintenance	7	7
Solid Waste Disposal	8	8
Health Care (public or private)		
Animal Control Services		
Court Facilities		
Jail Facilities		
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	3
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	3

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No X

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year: The town is in the process of upgrading its playground. A master plan for our grounds and park areas is being prepared and changes are being implemented in stages. We have received funding for a new fire truck.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year: Because of nearly non-existent housing for employees, one of our businesses working through the Utah Workforce Housing Initiative was able to receive help with funding to buy a large home in which to lease seasonal employees. Boulder is a pilot and priority community in their program and is eligible for additional help.

# COMMUNITY

## Bryce Canyon City

General Administration	
1. Government Type: 2. City Office Address: 3. Is City Office facility in full compliance with ADA? 4. Number of FTE Employees: 5. Number of PT Employees:	Mayor/Town Board
Fire	
1. Addresses of Fire Stations 2. Service Area (Portion of Town or All) 3. Average Response Time (2.5-4 minutes) 4. Town/City Fire Dept. or Fire District? 5. Is Station ADA Accessible? 6. Station Size 7. Fire ISO Rating 8. Fire Vehicles:  9. Firefighters  10. How Many Firefighters are EMT/Paramedics 11. Estimated Fire Department needs during next five years?  12. Fire personnel needs during next five years?	Type (Pumper, Brush, Ladder, Extraction) _____ _____ Condition (poor, fair, good, excellent) _____ _____ # of FT Firefighters ___ # of PT Firefighters ___ # of Volunteer Firefighters ___  # EMT ___ # Paramedics ___  Vehicles _____ Facilities _____  Full-Time ___ Part-Time ___ Volunteers ___ EMT ___ Paramedic ___
Police	
1. Police Station Address 2. Average Response Time (Minutes) 3. Is Facility ADA Accessible (Yes/No) 4. Number of Police Vehicles 5. Number of Employees 6. Personnel needs during next 5 years	Served by Garfield County Sheriff Department  Varied Response Time   # Full-time Police ___ # of Part-time Police ___ # Full-time <u>0</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells __ Springs __ Surface Water _____</p> <p>Residential/Commercial _____</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	

# Jurisdiction's Self-Assessment

## Bryce Canyon City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities		
Fire Department Equipment		
Fire Department Staffing/Volunteers		
Police/Public Safety Facilities		
Police/Public Safety Staffing		
Recreational Facilities		
Community Sewer System		
Culinary Water System Source		
Culinary Water System Storage		
Culinary Water System Distribution		
Streets and Roads		
Streets and Roads Maintenance		
Solid Waste Disposal		
Health Care (public or private)		
Animal Control Services		
Court Facilities		
Jail Facilities		
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Cannonville Town

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	25 South Redrock Drive, Cannonville, UT 84718
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	None
5. Number of PT Employees:	5 (1 Park Maintenance 7 mo.; 1 Street mowing/snow removal and signs as needed)
Fire	
1. Addresses of Fire Stations	20 West Center Street
2. Service Area (Portion of Town or All)	Cannonville, Kodachrome State Park and outlying areas (Tropic for structure fires)
3. Average Response Time (2.5-4 minutes)	10 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>4,000</u> sq. ft. # of Bays <u>2</u>
7. Fire ISO Rating	9
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1991 Ford Pumper; 1-ton pumper (storing for Tropic); SCBA (old truck)</u> Condition (poor, fair, good, excellent) _____;
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>5</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>2</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>0</u> Facilities <u>Fire Station Insulation</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>As volunteer</u> EMT <u>0</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Served by Garfield County Sheriff Department
2. Average Response Time (Minutes)	10 Minutes (Deputy lives in Tropic)
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	8
5. Number of Employees	# Full-time Police <u>8</u> # of Part-time Police <u>8</u>
6. Personnel needs during next 5 years	# Full-time <u>0</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Community Center; Small Park (Center Street) with Playground Equipment, Small Pavilion with Picnic Tables and Basketball Court</p> <p>Restrooms in Town Hall</p> <p>Submitting applications for improvements to park; new restrooms, replace equipment, pavilion, new picnic tables, and septic tank</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>1</u> Springs <u>1</u> Surface Water _____</p> <p>250,000 gallon Old Tank (for fire/want to replace leaking) 300,000 gallon New Tank</p> <p>Residential <u>70</u> Commercial <u>23</u> (Motel/Campground - mostly taps for homes)</p> <p>90,000 gallons</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes (Cannonville Irrigation Company)</p>

## Jurisdiction's Self-Assessment

### Cannonville Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	5	5
Fire Department Equipment	5	5
Fire Department Staffing/Volunteers	3	3
Police/Public Safety Facilities	8	8
Police/Public Safety Staffing	8	8
Recreational Facilities	5	5
Community Sewer System	N/A	N/A
Culinary Water System Source	9	9
Culinary Water System Storage	3	8
Culinary Water System Distribution	8	8
Streets and Roads	8	5
Streets and Roads Maintenance	5	5
Solid Waste Disposal	8	8
Health Care (public or private)	8	8
Animal Control Services	5	5
Court Facilities	8	8
Jail Facilities	8	8
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	N/A
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	N/A

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No   

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

Waterline was extended 3 miles south to serve residents living in this area.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

Fuel costs are hurting everyone.

# COMMUNITY Escalante City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	56 North 100 West, Escalante, UT 84726
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	5 (1 employee 32 hours week)
5. Number of PT Employees:	1
Fire	
1. Addresses of Fire Stations	100 North 50 West
2. Service Area (Portion of Town or All)	Escalante City and surrounding area
3. Average Response Time (2.5-4 minutes)	5-10 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>1,638</u> sq. ft. # of Bays <u>3</u>
7. Fire ISO Rating	9
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1991 International 1,000 gpm pumper; 1999 Dodge Responder Truck; Older truck 1,750 gpm pumper (not used); Mac Truck (belongs to Garfield County)</u>
	Condition (poor, fair, good, excellent) <u>1999 Dodge - good condition; 1991 International - fair condition</u>
9. Firefighters	# of FT Firefighter <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>14</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>1</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>1 Brush Truck</u> Facilities <u>New Fire Station</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>Always open</u> EMT _____ Paramedic _____
Police	
1. Police Station Address	One City Employee
2. Average Response Time (Minutes)	10 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	1
5. Number of Employees	# Full-time Police <u>1</u> # of Part-time Police _____
6. Personnel needs during next 5 years	# Full-time <u>0</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Library; 2 Community Parks (1 closed but still owned by City); 5 Picnic Tables; Pavilion/Restrooms; Community/Senior Citizens Center; Library; Care &amp; Share; Community Health Clinic</p> <p>Yes</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Lagoon</p> <p>Yes</p> <p>Yes</p> <p>Yes (need to study for future growth)</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>1 (backup)</u> Springs <u>6</u> Surface Water _____</p> <p>1 million gallons</p> <p>Residential/Commercial <u>500</u></p> <p>306,800</p> <p>471</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes (2 private water companies)</p>

## Jurisdiction's Self-Assessment

### Escalante City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	2	2
Fire Department Equipment	9	9
Fire Department Staffing/Volunteers	9	8
Police/Public Safety Facilities	8	5
Police/Public Safety Staffing	7	5
Recreational Facilities	6	5
Community Sewer System	10	10
Culinary Water System Source (Springs/Refurbishing well with loan)	10	10
Culinary Water System Storage	9	8
Culinary Water System Distribution (After H2O project will be like new)	9	8
Streets and Roads (Re-doing roads 6/1/07)	8	8
Streets and Roads Maintenance (Re-doing roads 6/1/07)	8	8
Solid Waste Disposal	10	8
Health Care (public or private) (Building New Clinic)	5	6
Animal Control Services	8	7
Court Facilities	10	10
Jail Facilities (County)	10	10
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	N/A
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	N/A

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Hatch Town

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	49 West Center, P.O. Box 625, Hatch, UT 84735
3. Is City Office facility in full compliance with ADA?	No (No bars in restrooms)
4. Number of FTE Employees:	0
5. Number of PT Employees:	4
Fire	
1. Addresses of Fire Stations	Hatch (old fire station connected to Town Hall for storage) 50 East Center Street
2. Service Area (Portion of Town or All)	Hatch Town (10 mile radius)
3. Average Response Time (2.5-4 minutes)	7 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>1,440</u> sq. ft. # of Bays <u>3</u> (purchased new building)
7. Fire ISO Rating	6-9
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1991 Ford 1-ton Fire Truck; 1984 SMC Fire Engine;</u> <u>1973 Chevrolet Brush/Wildland Truck; 1956 International</u> <u>pumper truck; 1984 Chevrolet Brush Truck</u>  Capacity (2,000 G.P.M.) _____; _____; Condition (poor, fair, good, excellent) <u>Trucks in fair to good condition</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>12</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>6</u> # Paramedics <u>2</u> Nurses _____
11. Estimated Fire Department needs during next five years?	Vehicles <u>1</u> (Ambulance) Facilities <u>0</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>As Volunteer</u> EMT <u>0</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Provided by Garfield County Sheriff Department
2. Average Response Time (Minutes)	10-15 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	8
5. Number of Employees	# Full-time Police <u>8</u> # of Part-time Police <u>1</u>
6. Personnel needs during next 5 years	# Full-time <u>0</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>City Park with Playground Equipment and Tennis Court; Pavilion and Daughters of Utah Pioneers Museum; 2 Barbeque Pits and Dutch Oven Pit with Tables</p> <p>NO (Restrooms behind Town Hall are not ADA accessible Restrooms in DUP Museum by appointment - ADA Accessible)</p> <p>Hatch Town is trying to obtain funding for a new Community Center and Town Hall</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>2</u> Springs _____ Surface Water _____</p> <p>250,000</p> <p>Residential <u>98</u> Commercial <u>8</u></p> <p>54,400 (approximate per water connection)</p> <p>210 (approximate)</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

## Jurisdiction's Self-Assessment

### Hatch Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	7	6
Fire Department Equipment	6	5
Fire Department Staffing/Volunteers	5	5
Police/Public Safety Facilities	6	5
Police/Public Safety Staffing	6	5
Recreational Facilities	7	5
Community Sewer System (Use Septic Tanks which are adequate)	10	10
Culinary Water System Source	6	5
Culinary Water System Storage	6	5
Culinary Water System Distribution	7	4
Streets and Roads	4	3
Streets and Roads Maintenance	4	3
Solid Waste Disposal	6	6
Health Care (public or private)	7	8
Animal Control Services (County)	N/A	
Court Facilities (County)	N/A	
Jail Facilities (County)	N/A	
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No X

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year: \_\_\_\_\_

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year: \_\_\_\_\_

# COMMUNITY

## Henrieville Town

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	70 West Main Street, P.O. Box 125, Henrieville, UT 84736
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	0
5. Number of PT Employees:	1
Fire	
1. Addresses of Fire Stations	70 West Main Street
2. Service Area (Portion of Town or All)	Henrieville Town and surrounding area for 2 ½ miles
3. Average Response Time (2.5-4 minutes)	5-10 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>4,800</u> sq. ft. # of Bays <u>3</u>
7. Fire ISO Rating	9
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1997 Mac Fire Truck (1-ton pumper;</u>  Capacity (2,000 G.P.M.) _____;
9. Firefighters	Condition (poor, fair, good, excellent) <u>Good condition</u> # of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>5</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>0</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>None anticipated</u> Facilities <u>None anticipated</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>5-8</u> EMT <u>0</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Provided by Garfield County Sheriff Department
2. Average Response Time (Minutes)	5 Minutes (Deputy lives in Cannonville)
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	8
5. Number of Employees	# Full-time Police <u>8</u> # of Part-time Police <u>1</u>
6. Personnel needs during next 5 years	# Full-time <u>0</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Senior Citizen Center; Town Center; Community Park located at 70 West Main Street with Playground, Pavilion, Picnic Tables and Basketball Court</p> <p>Yes</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells _____ Springs <u>2</u> Surface Water _____</p> <p>0.4 MG</p> <p>Residential <u>100</u> Commercial _____</p> <p>48,000</p> <p>1,893</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

# Jurisdiction's Self-Assessment

## Henrieville Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	4	
Fire Department Equipment	6	
Fire Department Staffing/Volunteers	4	
Police/Public Safety Facilities	7	
Police/Public Safety Staffing	7	
Recreational Facilities	6	
Community Sewer System (Utilize Septic Tanks which are adequate)	9	
Culinary Water System Source	9	
Culinary Water System Storage	9	
Culinary Water System Distribution	8	
Streets and Roads	5	
Streets and Roads Maintenance	5	
Solid Waste Disposal	5	
Health Care (public or private)	3	
Animal Control Services (County)	5	
Court Facilities (County)	5	
Jail Facilities (County)	5	
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Panguitch City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	25 South 200 East, P.O. Box 75, Panguitch, UT 84759
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	8
5. Number of PT Employees:	5 (Includes summer hires)
Fire	
1. Addresses of Fire Stations	50 North 100 East
2. Service Area (Portion of Town or All)	Panguitch City and part of Garfield County from the north county line to Hatch
3. Average Response Time (2.5-4 minutes)	4 Minutes in town; 5-10 minutes out-of-town
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>8,000</u> sq. ft. # of Bays <u>4</u> (2 fire; 2 ambulance)
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>2 Pierce Fire Engines 1991 and 2001; 1 Older mid-sized Brush Truck; Chevrolet 1-ton Equipment</u>
	Capacity (2,000 G.P.M.) <u>750 gpm</u> _____; _____;
	Condition (poor, fair, good, excellent) <u>Engines in good to excellent condition; Brush truck fair ;</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>1</u> # of Volunteer Firefighters <u>20</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>2</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>New Brush Truck or 1<sup>st</sup> Responder Truck</u> Facilities <u>None</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>As volunteer</u> EMT _____ Paramedic _____
Police	
1. Police Station Address	Contract with Garfield County Sheriff Department
2. Average Response Time (Minutes)	2-5 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles (County)	8
5. Number of Employees	# Full-time Police <u>8</u> # of Part-time Police <u>1</u>
6. Personnel needs during next 5 years	# Full-time <u>0</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Swimming Pool; Community Recreational Center; Library; Softball Field; Little League Field; Community Park with Restrooms, Pavilion and Picnic Tables; Outdoor Rodeo Grounds and Race Track; Triple C Indoor Arena (shared with Garfield County 50/50); Three Ballfields with Concession and Restrooms</p> <p>Yes</p> <p>Additional weight equipment and updated recreational center; a golf course; a few mini-parks with playgrounds and picnic facilities; 3 basketball courts, new swimming pool. Currently in process of obtaining upgraded playground equip.</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Lagoon</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>1</u> Springs <u>6-8</u> Surface Water _____</p> <p>500,000 to 600,000 (collect into 1 and bring down mountain) 1.7 million gallons per day from well</p> <p>1.5 million gallons</p> <p>Residential <u>600</u> Commercial <u>100</u></p> <p>1,295,200</p> <p>515</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

## Jurisdiction's Self-Assessment

### Panguitch City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	9	9
Fire Department Equipment	9	9
Fire Department Staffing/Volunteers	9	9
Police/Public Safety Facilities (Provided by Garfield County)	8	8
Police/Public Safety Staffing	8	8
Recreational Facilities	7	6
Community Sewer System	9	9
Culinary Water System Source	8	9
Culinary Water System Storage	9	9
Culinary Water System Distribution	8	9
Streets and Roads	6	6
Streets and Roads Maintenance	7	8
Solid Waste Disposal	7	7
Health Care (public or private)	9	9
Animal Control Services	8	7
Court Facilities	8	8
Jail Facilities (County)	10	10
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No   

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

New water system and spring development on-line. Security gate and improvements to airport.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

Housing market is slow but tourism is steady.

# COMMUNITY

## Tropic Town

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	40 North 300 West, P.O. Box 130, Tropic, UT 84776
3. Is City Office facility in full compliance with ADA?	Yes (Changing 1 Door - Will be moving into new City Offices)
4. Number of FTE Employees:	2
5. Number of PT Employees:	3
Fire	
1. Addresses of Fire Stations	40 North 300 West
2. Service Area (Portion of Town or All)	Tropic, Bryce Canyon, Henrieville, Cannonville and to top of Blues
3. Average Response Time (2.5-4 minutes)	10 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>4,500</u> sq. ft. # of Bays <u>4</u>
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) Year of Vehicle _____; _____; Manufacturer (American Lafrance, Ford, etc.) Capacity (2,000 G.P.M.) _____; _____; Condition (poor, fair, good, excellent) _____; _____;
9. Firefighters	# of FT Firefighters _____ # of PT Firefighters _____ _____ # of Volunteer Firefighters _____
10. How Many Firefighters are EMT/Paramedics	# EMT _____ # Paramedics _____
11. Estimated Fire Department needs during next five years?	Vehicles _____ Facilities _____
12. Fire personnel needs during next five years?	Full-Time _____ Part-Time _____ Volunteers _____ EMT _____ Paramedic _____
Police	
1. Police Station Address	Served by Garfield County Sheriff Department (Dispatch from Panguitch - One Deputy lives in Tropic)
2. Average Response Time (Minutes)	10-15 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	8
5. Number of Employees	# Full-time Police <u>8</u> # of Part-time Police <u>1</u>
6. Personnel needs during next 5 years	# Full-time <u>0</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>One Community Park - 200 West Center Street; Scout House and Bowery; Baseball fields; 2 Little League Fields; Pavilion; Picnic Tables; Grills and Restrooms</p> <p>Yes</p> <p>Swimming Pool; Tennis Courts; Basketball Courts; ATV Trails (Have 173 acres from BLM for park development)</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Lagoon</p> <p>Yes</p> <p>Yes</p> <p>Yes (Have 1 lagoon not using at current time)</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>1</u> Springs <u>2</u> Surface Water _____ (Well drilled on community park - In process of cleaning up and anticipate it will be on line by September, 2007)</p> <p>750,000</p> <p>Residential <u>230</u> Commercial <u>8</u></p> <p>153,600</p> <p>910</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

## Jurisdiction's Self-Assessment

### Tropic Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	10	10
Fire Department Equipment	9	9
Fire Department Staffing/Volunteers	10	10
Police/Public Safety Facilities (Provided by Garfield County)	N/A	N/A
Police/Public Safety Staffing (Provided by Garfield County)	N/A	N/A
Recreational Facilities	5	5
Community Sewer System	5	8
Culinary Water System Source	9	9
Culinary Water System Storage	5	10
Culinary Water System Distribution	7	8
Streets and Roads	5	5
Streets and Roads Maintenance	4	4
Solid Waste Disposal	8	8
Health Care (public or private) (County)	N/A	N/A
Animal Control Services (County)	N/A	N/A
Court Facilities (County)	N/A	N/A
Jail Facilities (County)	N/A	N/A
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	N/A
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	N/A

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Brian Head (2005 Information)

General Administration	
1. Government Type:	Mayor/City Council/Brian Head
2. City Office Address:	56 N. Highway 143, P.O. Box 190-068, Brian Head, UT 84719
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	13 to 14
5. Number of PT Employees:	1 (Seasonal for trails)
Fire	
1. Addresses of Fire Stations	535 South Brian Head Boulevard, Brian Head, UT
2. Service Area (Portion of Town or All)	Brian Head Town and mountain properties in surrounding area
3. Average Response Time (2.5-4 minutes)	4-5 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	_____ sq. ft. # of Bays <u>2</u>
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>2002 Pierce/Hawk 1,205 gpm; 1981 Utah Lagrange 800 gpm;</u> <u>1964 Multi-fuel 800 gpm; 1982 Chevrolet Brush Truck; 1972</u> <u>Crown Snorkel; 1985 platform truck</u>
	Condition (poor, fair, good, excellent) <u>2003 Excellent Condition; Others good to fair condition</u>
9. Firefighters	# of FT Firefighters <u>5</u> # of PT Firefighters <u>1</u> # of Volunteer Firefighters <u>13</u>
10. How Many Firefighters are EMT/ Paramedics	# EMT <u>7</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>1</u> Facilities <u>Need for new facility</u>
12. Fire personnel needs during next five years?	Full-Time <u>1</u> Part-Time <u>0</u> Volunteers <u>8</u> EMT <u>8</u> Paramedic <u>Provided by Iron Co. Ambulance</u>
Police	
1. Police Station Address	P.O. Box 190-068; Brian Head, UT
2. Average Response Time (Minutes)	3-4 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	3 Trucks and 2 Dodge Durango
5. Number of Employees	# Full-time Police <u>5</u> # of Part-time Police <u>0</u>
6. Personnel needs during next 5 years	# Full-time <u>1</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>One Park; Picnic tables throughout town; Trail System; Basketball Courts; Restroom Facilities</p> <p>Yes</p> <p>Pavilion at Park (Grant in Process)</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Lagoon</p> <p>No</p> <p>No</p> <p>In process of new system in conjunction with Parowan City</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>3</u> Springs <u>4</u> Surface Water _____</p> <p>2.2 million gallons</p> <p>Residential _____ Commercial _____</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>No</p>

## Jurisdiction's Self-Assessment

### Brian Head Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	2	1
Fire Department Equipment	7	7
Fire Department Staffing/Volunteers	6	5
Police/Public Safety Facilities	2	1
Police/Public Safety Staffing	8	8
Recreational Facilities	5	8
Community Sewer System	6	8
Culinary Water System Source	7	7
Culinary Water System Storage	5	5
Culinary Water System Distribution	4	4
Streets and Roads	5	6
Streets and Roads Maintenance	5	6
Solid Waste Disposal	8	9
Health Care (public or private)	N/A	N/A
Animal Control Services	N/A	N/A
Court Facilities	N/A	N/A
Jail Facilities	N/A	N/A
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	1
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	1

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No X

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year: Creation of a community RDA, plans underway for a new water tank, public safety building and a large annexation process is underway.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year: The tourist industry and real estate sales have slowed considerably. A new Ski Interconnect with two lifts were great improvements to the Ski Resort but the Resort and Town were unable to come to an agreement and plans for a new Skier Village Development agreement.

# COMMUNITY

## Cedar City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	10 North Main Street, Cedar City, UT 84720
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	107 Full Time
5. Number of PT Employees:	18 (Plus 12 for CATS transit system and 267 part time which includes seasonal, recreational and referees)
Fire	
1. Addresses of Fire Stations	291 N. 800 W. (Main Station) 2580 N. 175 W. (2 <sup>nd</sup> Station)
2. Service Area (Portion of Town or All)	Cedar , Enoch, Iron County South of Summit to Black Ridge West to Iron Mt. and East to Cedar Breaks turn off
3. Average Response Time (2.5-4 min.)	5-6 Minutes
4. Town/City Fire Dept. or Fire District?	County/Town
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>6,000</u> sq. ft./ <u>8,500</u> sq. ft. # of Bays <u>7 (2 stations)</u>
7. Fire ISO Rating	4
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>4 Pumpers (2 Mack; 1 E-one; 2 Pierce; Pumper brush trucks (4 Chevrolet; 1 Dodge); Ladder LTI; Extraction (Chevrolet); 1 Heavy Rescue; 1 ARFF</u>
	Capacity (2,000 G.P.M.) <u>Pumpers 1,000 gal. (3 trucks); One 750 gpm pumper;</u>
	Condition (poor, fair, good, excellent) <u>Pumper &amp; brush trucks good condition;</u>
9. Firefighters	# of FT Firefighters <u>7</u> # of PT Firefighters <u>41</u> # of Volunteer Firefighters <u>   </u>
10. How Many Firefighters are EMT/ Paramedics	# EMT <u>3</u> # Paramedics <u>   </u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>4 new</u> Facilities <u>3 New Stations</u>
12. Fire personnel needs during next five years?	Full-Time <u>10</u> Part-Time <u>20</u> Volunteers <u>   </u> EMT <u>N/A</u> Paramedic <u>N/A</u>
Police	
1. Police Station Address	10 North Main, Cedar City, UT
2. Average Response Time (Minutes)	5 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	31 vehicles (Active) 3 (Backup)
5. Number of Employees	# Full-time Police <u>45</u> # of Part-time Police <u>2</u>
6. Personnel needs during next 5 years	# Full-time <u>10</u> # Part-time <u>0</u> (1 Code Enforcement; 1 Record Clerk; 1 Animal Control; 1 TTC Recreation Specialist)

**Recreation/Cultural**

<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Parks Available:  <u>Equestrian Center</u> - Indoor/outdoor arena, grandstand, stalls, pavilion  <u>Skateboard Park</u> - Skate Ramps  <u>Baseball park</u> - 6 baseball diamonds, trail  <u>Softball Park (Bicentennial)</u> - 3 softball fields, 5 soccer fields, pavilion, picnic tables, playground, volleyball court, skate park  <u>Main Street Park</u> - Playground, pavilion, picnic tables  <u>East Canyon Park</u> - Playground, pavilion, picnic tables, horseshoe pits, volleyball court  <u>West Canyon Park</u> - Playground, pavilion, picnic tables, volleyball court, trail  <u>Hillcrest</u> - Playground, pavilion, picnic tables  <u>Sunbow</u> - Playground  <u>Park Discovery</u> - Benches, playground, Dinosaur sandpit, Amphitheater, Science playground.</p> <p>Yes</p> <p>Recreation Center/Swimming Pool; Trail system; Park in Fiddler's area; Coal Creek Trail</p>
--	--

**Sewer Systems**

<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Sewage Treatment Plant</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
--	---

**Culinary Water**

<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>7</u> Springs <u>3</u> Surface Water _____</p> <p>14,500,000 gallons per day</p> <p>18 MG</p> <p>Residential <u>5,153</u> Commercial <u>750</u></p> <p>5,331,000 gallons per day</p> <p>740 gallons per day</p>
--	---

**Secondary Water (Irrigation) System**

<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>
--	------------

## Jurisdiction's Self-Assessment

### Cedar City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	6	6
Fire Department Equipment	6	6
Fire Department Staffing/Volunteers	6	6
Police/Public Safety Facilities	10	10
Police/Public Safety Staffing	8	8
Recreational Facilities	6	5
Community Sewer System	8	7
Culinary Water System Source	7	7
Culinary Water System Storage	8	8
Culinary Water System Distribution	6	6
Streets and Roads	7	7
Streets and Roads Maintenance	7	7
Solid Waste Disposal	9	9
Health Care (public or private)	9	9
Animal Control Services	7 (Facility=6)	7
Court Facilities (County)	N/A	N/A
Jail Facilities (County)	N/A	N/A
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No X

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Enoch City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	900 East Midvalley Road, Enoch, UT 84720
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	20
5. Number of PT Employees:	5
Fire	
1. Addresses of Fire Stations	2850 North 175 West (Cedar City Fire Department)
2. Service Area (Portion of Town or All)	Cedar City, Enoch, Iron County South of Summit to Black Ridge West to Iron Mr. and East to Cedar Breaks turn off
3. Average Response Time (2.5-4 min.)	7 Minutes (approximate)
4. Town/City Fire Dept. or Fire District?	County/City
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>6,000</u> sq. ft./ <u>8,500</u> sq. ft. # of Bays <u>7 (2 stations)</u>
7. Fire ISO Rating	4
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>4 Pumpers (1 Mack; 1 E-one; 2 Pierce; Pumper brush trucks (4 Chevrolet; 1 Dodge); Ladder LTI; Extraction (Chevrolet); 1 Heavy Rescue; 1 ARFF</u>  Capacity (2,000 G.P.M.) <u>Pumpers 1,000 gal. (3 trucks); One 750 gpm pumper;</u>  Condition (poor, fair, good, excellent) <u>Pumper &amp; brush trucks good condition;</u>
9. Firefighters	# of FT Firefighters <u>7</u> # of PT Firefighters <u>41</u> # of Volunteer Firefighters <u>    </u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>3</u> # Paramedics <u>    </u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>4 new</u> Facilities <u>3 New Stations</u>
12. Fire personnel needs during next five years?	Full-Time <u>10</u> Part-Time <u>20</u> Volunteers <u>    </u> EMT <u>N/A</u> Paramedic <u>N/A</u>
Police	
1. Police Station Address	900 East Midvalley Road, Enoch, UT
2. Average Response Time (Minutes)	4-5 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	5 vehicles (2 Dodge Durango, 2 Cars and 1 Jeep)
5. Number of Employees	# Full-time Police <u>4</u> # of Part-time Police <u>2</u>
6. Personnel needs during next 5 years	# Full-time <u>2-3</u> # Part-time <u>2-3</u>
Recreation/Cultural	

<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Main Community Park (900 East Midvalley Road) with Little League fields, concession stands, playgrounds, picnic facilities, restrooms and a Bowery; Four Neighborhood Parks; Old School Library (Iron County)</p> <p>Yes</p> <p>Develop 2-3 park sites with basketball/volleyball courts, picnic facilities, children's play area; Soccer Field; Trail System</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Treatment Plant (Regional)</p> <p>Yes</p> <p>Yes</p> <p>No</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>  5  </u> Springs <u>      </u> Surface Water <u>      </u></p> <p>4 Million</p> <p>3 Tanks (Two 2-million gallons and One 500,000 gallon)</p> <p>Residential <u> 1,630 </u> Commercial <u>  20 </u></p> <p>1.3 Million</p> <p>787</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes (Partial)</p>

## Jurisdiction's Self-Assessment

### Enoch City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed			
		RATING 1-10	
		Last Year	2008
Fire Department Facilities	Cedar City	7	6
Fire Department Equipment	Cedar City	7	7
Fire Department Staffing/Volunteers	Cedar City	7	6
Police/Public Safety Facilities		6	6
Police/Public Safety Staffing		5	6
Recreational Facilities		2	1
Community Sewer System		8	8
Culinary Water System Source		7	7
Culinary Water System Storage		6	6
Culinary Water System Distribution		7	7
Streets and Roads		5	5
Streets and Roads Maintenance		5	5
Solid Waste Disposal		8	8
Health Care (public or private)		2	2
Animal Control Services		7	7
Court Facilities	(County)	N/A	N/A
Jail Facilities	(County)	N/A	N/A
Housing - Low to Moderate Income	(new assessment item for 2008)	N/A	4
Housing - Needs for Area Workforce	(new assessment item for 2008)	N/A	4

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No X

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year: 1. Developing secondary water system to relieve burden on culinary water system; 2. Increasing volume of culinary water to west of city.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year: In the process of creating a community development agency to assist in attracting commercial businesses - specifically grocery store.

# COMMUNITY

## Kanarraville Town

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	40 South Main Street, Kanarraville, UT 84742
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	2
5. Number of PT Employees:	0
Fire	
1. Addresses of Fire Stations	50 East Center Street, Kanarraville, UT
2. Service Area (Portion of Town or All)	Kanarraville town and surrounding area
3. Average Response Time (2.5-4 minutes)	5-6 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>1,600</u> sq. ft. # of Bays <u>2</u> + ambulance bay 800 sq. ft.
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1967 Ford Segrave Pumper; 1976 Dodge Brush Truck;</u> <u>1968 International Pumper; 1984 Chevrolet Snow plow (also pumps water); 1978 Ford Fire Truck; 1965 Kaiser Fire Truck;</u> <u>1994 Ford F 350</u>  Condition (poor, fair, good, excellent) _____; _____;
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>1 PT paid \$100 per month</u> # of Volunteer Firefighters <u>7</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>3</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>1 Good Fire Truck</u> Facilities <u>None</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>As volunteer</u> EMT _____ Paramedic _____
Police	
1. Police Station Address	Contract with Iron County Sheriff Department
2. Average Response Time (Minutes)	20-30 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	29
5. Number of Employees	# Full-time Police <u>29</u> # of Part-time Police <u>3</u> + Reserve
6. Personnel needs during next 5 years	# Full-time <u>5</u> # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Dance hall/pavilion with outdoor amphitheater (Cobble Crest), concrete pad, concession stand; playground (mini-park), pavilion, 12 picnic tables (Lease area from LDS Church)</p> <p>Installed new playground equipment (swings, slides &amp; giant stride) and new basketball court</p> <p>Yes</p> <p>Proposed ½ acre extension of Cobble Crest Park including barbeque pits, 2 horseshoe pits, volleyball court, ballpark, playground, restrooms, chain link fence, grass, gravel, remodel and enlarge concession stand; Senior Citizen Center</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>N/A</p> <p>Yes (Septic Tanks)</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>  2  </u> Springs <u>  1  </u> Surface Water <u>      </u></p> <p>300,000 gallons per minute from each well (In process of doing Well #2 which will be on-line in</p> <p>350,500 gallons</p> <p>Residential <u> 202 </u> Commercial <u>  8 </u></p> <p>81,897</p> <p>405</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes (Kanarraville Irrigation Company)</p>

## Jurisdiction's Self-Assessment

### Kanarrville Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	5	5
Fire Department Equipment	8	6
Fire Department Staffing/Volunteers	5	8
Police/Public Safety Facilities (County)	N/A	N/A
Police/Public Safety Staffing (County)	N/A	N/A
Recreational Facilities	9	9
Community Sewer System (Septic Tanks)	N/A	N/A
Culinary Water System Source	9	9
Culinary Water System Storage	9	9
Culinary Water System Distribution	9	9
Streets and Roads	8	5
Streets and Roads Maintenance	7	5
Solid Waste Disposal	9	9
Health Care (public or private) (County)	N/A	N/A
Animal Control Services (County)	N/A	N/A
Court Facilities (County)	N/A	N/A
Jail Facilities (County)	N/A	N/A
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	N/A
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	N/A

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY Paragonah Town

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	44 N. 100 W., P.O. Box 600247, Paragonah, UT 84760
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	1
5. Number of PT Employees:	4
Fire	
1. Addresses of Fire Stations	80 West Center, Paragonah, UT
2. Service Area (Portion of Town or All)	Northern Iron County line South to the mid-point between Parowan and Paragonah
3. Average Response Time (2.5-4 minutes)	3-5 Minutes
4. Town/City Fire Dept. or Fire District?	Paragonah Volunteer Fire Department
5. Is Station ADA Accessible?	No
6. Station Size	<u>3,500</u> sq. ft. # of Bays <u>4</u>
7. Fire ISO Rating	5
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>2004 Central States 1,250 gpm; 1980 FMC 2,000 gpm;</u> <u>1999 Ford Brush Truck w/extraction tools; 1997 Becker Brush Truck w/extraction tools; 1972 Tanker 2,2000 gal</u>
	Condition (poor, fair, good, excellent) <u>2004 Excellent; 1999 and 1997 Good; 1980 Poor ;</u> <u>1972 Poor/Bad</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>18</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>1</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>1 additional</u> Facilities _____
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>As volunteer</u> EMT _____ Paramedic _____
Police	
1. Police Station Address	Service provided by Iron County Sheriff Department
2. Average Response Time (Minutes)	20-30 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	29
5. Number of Employees	# Full-time Police <u>29</u> # of Part-time Police <u>3</u> + Reserve
6. Personnel needs during next 5 years	# Full-time <u>5</u> # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>One Tennis Court; One Community Park with playground and picnic facilities</p> <p>Yes (Restrooms in Town Hall)</p> <p>Improve Tennis Court</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>N/A</p> <p>Yes (Septic Tanks)</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells _____ Springs <u>2</u> Surface Water _____</p> <p>207 gpm</p> <p>70,000 gallon tank and 200,000 gallon tank</p> <p>Residential <u>256</u> Commercial <u>0</u></p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes (Paragonah Canal Company)</p>

## Jurisdiction's Self-Assessment

### Paragonah Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	10	10
Fire Department Equipment	10	10
Fire Department Staffing/Volunteers	10	10
Police/Public Safety Facilities	4	4
Police/Public Safety Staffing	4	4
Recreational Facilities	7	7
Community Sewer System (Septic Tanks)	N/A	10
Culinary Water System Source	8	8
Culinary Water System Storage	10	8
Culinary Water System Distribution	9	9
Streets and Roads	7	7
Streets and Roads Maintenance	7	7
Solid Waste Disposal (County)	N/A	8
Health Care (public or private) (County)	N/A	7
Animal Control Services	N/A	N/A
Court Facilities (County)	N/A	8
Jail Facilities (County)	N/A	8
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	8
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	N/A

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No X

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

2008 - will be drilling well to provide town with a second water source which is greatly needed. Upgrading power through Rocky Mountain Power.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

None to report.

# COMMUNITY Parowan City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	5 South Main Street, P.O. Box 576, Parowan, UT 84761
3. Is City Office facility in full compliance with ADA?	No (In process of upgrade for ADA compliance)
4. Number of FTE Employees:	19
5. Number of PT Employees:	7-8 approximate
Fire	
1. Addresses of Fire Stations	170 West 200 South
2. Service Area (Portion of Town or All)	Parowan City and all of Northern Iron County
3. Average Response Time (2.5-4 minutes)	5-6 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	No
6. Station Size	<u>5,280</u> sq. ft. # of Bays <u>5</u>
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>2000 Freightliner 12,500 gpm pumper; Crown 1500 gpm pumper; 3 Army Surplus Wildland Fire Trucks; 1994 Ford Pickup Rescue/Wildland Truck</u> Condition (poor, fair, good, excellent) <u>All equipment in good to excellent condition</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>28 (\$6.00/hr.)</u> # of Volunteer Firefighters <u>28 (Same as part-time)</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>2</u> # Paramedics <u>1 (Lives in Parowan)</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>Need new Wildland Fire Truck</u> Facilities <u>None</u>
12. Fire personnel needs during next five years?	Full-Time <u>1</u> Part-Time <u>0</u> (All volunteer) EMT <u>2</u> Paramedic <u>0</u>
Police	
1. Police Station Address	20 East Center Street, Parowan, UT
2. Average Response Time (Minutes)	3-5 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	3
5. Number of Employees	# Full-time Police <u>3</u> # of Part-time Police <u>3-7</u>
6. Personnel needs during next 5 years	# Full-time <u>1</u> # Part-time <u>Variable</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Jesse N. Smith Home; Old Rock Church; Outdoor Swimming Pool; Community Theater; Library; Fairgrounds including building concession stands and rodeo arena/racetrack; Dr. Meek's Cabin and Meek's Pond; Lion's Park (Pavilion area, restrooms, playground); Town Square Park (Picnic area, playground, restrooms); Valentine Peak Ball Field (concession area, restrooms, ball fields); Heritage Park (Historical monuments, restrooms)</p> <p>No</p> <p>None</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Lagoon</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>  2  </u> Springs <u>  1  </u> Surface Water <u>  ___  </u></p> <p>1.8 MG</p> <p>Residential <u>  1,265  </u> Commercial <u>  _____  </u></p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

## Jurisdiction's Self-Assessment

### Parowan City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	8	
Fire Department Equipment	8	
Fire Department Staffing/Volunteers	8	
Police/Public Safety Facilities	3	
Police/Public Safety Staffing	7	
Recreational Facilities	8	
Community Sewer System	9	
Culinary Water System Source	7	
Culinary Water System Storage	8	
Culinary Water System Distribution	4	
Streets and Roads	5	
Streets and Roads Maintenance	5	
Solid Waste Disposal	8	
Health Care (public or private)	7	
Animal Control Services	5	
Court Facilities	8	
Jail Facilities (County)	3	
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No   

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---

# COMMUNITY

## Alton Town

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	11 South 100 West, Alton, UT 84710
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	None
5. Number of PT Employees:	0 (Reimbursement basis to mayor and clerk for meetings)
Fire	
1. Addresses of Fire Stations	60 South Main Street
2. Service Area (Portion of Town or All)	Alton Town and immediate surrounding area
3. Average Response Time (2.5-4 minutes)	5 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	No (In process of applying for funding to replace fire station)
6. Station Size	<u>500</u> sq. ft. # of Bays <u>2</u>
7. Fire ISO Rating	10
8. Fire Vehicles:	Type (Pumper, Brush) <u>1967 HON pumper truck w/500 gal tank; 1979 Dodge 3/4 ton 200 gal. FS pumper;</u>  Condition (poor, fair, good, excellent) <u>Fair to good condition</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>9</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>4</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>One Tanker Truck</u> Facilities <u>New Fire Station</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>10</u> EMT <u>6</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Contract with Kane County Sheriff Department
2. Average Response Time (Minutes)	
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	
5. Number of Employees	# Full-time Police _____ # of Part-time Police _____
6. Personnel needs during next 5 years	# Full-time _____ # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>One Community Park; Utah State Bookmobile</p> <p>No (Restrooms for community park are in the fire station and cannot be made ADA accessible)</p> <p>New playground equipment and new public restrooms (In process constructing new fire station with ADA accessible restrooms)</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>N/A</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells _____ Springs <u>2</u> Surface Water _____</p> <p>22 gallons per minute (both springs)</p> <p>600,000 gallons</p> <p>Residential <u>61</u> Commercial <u>0</u></p> <p>8,797 month per connection</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

## Jurisdiction's Self-Assessment

### Alton Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	3	10
Fire Department Equipment	4	6
Fire Department Staffing/Volunteers	6	6
Police/Public Safety Facilities	1	0
Police/Public Safety Staffing	1	0
Recreational Facilities	6	8
Community Sewer System (Septic Tanks)	N/A	N/A
Culinary Water System Source	4	4
Culinary Water System Storage	8	9
Culinary Water System Distribution	9	9
Streets and Roads	6	6
Streets and Roads Maintenance	6	6
Solid Waste Disposal (County)	9	9
Health Care (public or private) (County)	N/A	N/A
Animal Control Services (County)	N/A	N/A
Court Facilities (County)	N/A	N/A
Jail Facilities (County)	N/A	N/A
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes  No

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

Our water sources have dropped about 30% in the last two years.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

We have a coal mine that will soon be in operation.

# COMMUNITY

## Big Water (2005 Information)

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	15 Aaron Burr; Big Water, UT 84741
3. Is City Office facility in full compliance with ADA?	No
4. Number of FTE Employees:	1
5. Number of PT Employees:	9
Fire	
1. Addresses of Fire Stations	Corner of Aaron Burr and Quill; Big Water, UT
2. Service Area (Portion of Town or All)	Big Water
3. Average Response Time (2.5-4 minutes)	4-6 Minutes
4. Town/City Fire Dept. or Fire District?	Glen Canyon SSD
5. Is Station ADA Accessible?	Yes
6. Station Size	_____ sq. ft. # of Bays <u>2</u>
7. Fire ISO Rating	7
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Manufacturer; Capacity; Year; Condition <u>1991 American LaFrance Pumper (Good); 1957 Brush Truck; 2002 Ford F550 Pickup Responder Unit 500 gallons Fire &amp; EMS (Excellent); Ambulance (Kane County)</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>6 to 10</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>2</u> # Paramedics <u>2</u>
11. Estimated Fire Department needs during next five years?	Vehicles _____ Facilities <u>Acquire New Building</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>As Volunteer</u> EMT _____ Paramedic _____
Police	
1. Police Station Address	15 Aaron Burr; Big Water, UT
2. Average Response Time (Minutes)	Varies
3. Is Facility ADA Accessible (Yes/No)	No
4. Number of Police Vehicles	2 Marshals and Patrol Cars
5. Number of Employees	# Full-time Police <u>1</u> # of Part-time Police <u>1</u>
6. Personnel needs during next 5 years	# Full-time _____ # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>10 Acres with Ball Diamond</p> <p>No</p> <p>Community Park with playground and picnic facilities; rest stop area; Community/Senior Citizens Center facility</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>Septic Tanks okay for now</p> <p>Yes</p> <p>City is currently conducting a feasibility study for installation of sewer system</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>2</u> Springs _____ Surface Water _____</p> <p>Residential/Commercial <u>251 Active Connections</u></p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>No</p>

## Jurisdiction's Self-Assessment

### Big Water Municipal Corporation

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	4	8
Fire Department Equipment	4	8
Fire Department Staffing/Volunteers	2	8
Police/Public Safety Facilities	1	1
Police/Public Safety Staffing	1	3
Recreational Facilities	0	0
Community Sewer System	0	0
Culinary Water System Source	5	8
Culinary Water System Storage	8	8
Culinary Water System Distribution	5	8
Streets and Roads	8	3
Streets and Roads Maintenance	5	2
Solid Waste Disposal	1	1
Health Care (public or private)	0	0
Animal Control Services	0	3
Court Facilities	6	8
Jail Facilities	0	0
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	0
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	8

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

Glen Canyon Special Service District got a grant to replace the old water lines with new lines.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

A new resort is being built that would bring much growth if we had a sewer system to support it.

# COMMUNITY Glendale Town

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	90 East Center, Glendale, UT 84729
3. Is City Office facility in full compliance with ADA?	No (Grant/Loan from CIB to Rehabilitate Town Office)
4. Number of FTE Employees:	1
5. Number of PT Employees:	2
Fire	
1. Addresses of Fire Stations	53 South 100 East; Glendale, UT 84729
2. Service Area (Portion of Town or All)	Long Valley/Glendale
3. Average Response Time (2.5-4 minutes)	5-6 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>30' x 40'</u> # of Bays <u>2</u>
7. Fire ISO Rating	7
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Manufacturer; Capacity; Year of Vehicle; Condition <u>1994 Fire Engine Duplex 750 gpm (Excellent);</u> <u>1970's Army 2 ½ ton Brush Truck 1,000 gallons (Good);</u> <u>1962 Dodge 2 ½ ton 800 gallon Brush Truck (Fair)</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>5-6</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>0</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>Need New Brush Truck</u> Facilities <u>Okay</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>As volunteer</u> EMT <u>2</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Contract with Kane County
2. Average Response Time (Minutes)	7-10 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	
5. Number of Employees	# Full-time Police _____ # of Part-time Police _____
6. Personnel needs during next 5 years	# Full-time _____ # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>1 Outdoor Basketball/Volleyball Court; Long Valley Civic Center; 1 Community Park with Playground; Pavilion, Several Picnic Tables, Restrooms, Drinking Fountain, Horseshoe Pits; baseball diamond; and Town Hall</p> <p>Yes</p> <p>Maintenance building to house equipment. Restrooms at ballpark; Restoration of Town Hall in process with CIB funds</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes (Long Valley SSD)</p> <p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes (Have some new developments and the remainder of Glendale Town to add to the system)</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>1</u> Springs <u>1 (3 springs by well)</u> Surface Water _____</p> <p>1 million gallons</p> <p>Residential/Commercial <u>187</u></p> <p>101,600</p> <p>12,000</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

## Jurisdiction's Self-Assessment

### Glendale Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	9	
Fire Department Equipment	9	
Fire Department Staffing/Volunteers	8	
Police/Public Safety Facilities (County)	N/A	
Police/Public Safety Staffing (County)	N/A	
Recreational Facilities	9	
Community Sewer System	10	
Culinary Water System Source	10	
Culinary Water System Storage	10	
Culinary Water System Distribution	9	
Streets and Roads	9	
Streets and Roads Maintenance	10	
Solid Waste Disposal	9	
Health Care (public or private) (County)	N/A	
Animal Control Services	6	
Court Facilities (County)	N/A	
Jail Facilities (County)	N/A	
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

Need to replace 2 ½ miles of water line from 4" to 8"

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Kanab City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	76 North Main Street, Kanab, UT 84741
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	25
5. Number of PT Employees:	5 (10-15 Seasonal)
Fire	
1. Addresses of Fire Stations	601 South 100 East, Kanab, UT
2. Service Area (Portion of Town or All)	Kanab City and 10 mile radius
3. Average Response Time (2.5-4 minutes)	8-10 Minutes
4. Town/City Fire Dept. or Fire District?	Kanab City Fire Department
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>9,920</u> sq. ft. # of Bays <u>4</u>
7. Fire ISO Rating	5
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicle; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); and Condition (poor, fair, good, excellent) <u>2 Pumper Trucks 1978 FMC, 1984 Ford (Good); and 2007 American LaFrance Pumper Truck(Excellent);</u> <u>3 Brush Trucks 1978 Chevrolet, 1975 Dodge, Old Army Truck;</u> <u>1 Rescue Truck 2002 Ford (Excellent) ;</u> <u>1 Pickup 2005 Ford (Excellent) _____;</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>17</u> # of Volunteer Firefighters <u>17</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>6</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>1 Pumper</u> Facilities <u>None needed</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>5</u> Volunteers _____ EMT <u>3 to 5</u> Paramedic _____
Police	
1. Police Station Address	140 East 100 South, Kanab, UT
2. Average Response Time (Minutes)	5 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	6 Vehicles and equipment
5. Number of Employees	# Full-time Police <u>6</u> # of Part-time Police <u>3 Reserve</u>
6. Personnel needs during next 5 years	# Full-time <u>2</u> # Part-time <u>More Reserve Officers</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Swimming Pool; Golf Course; Baseball Diamonds (4) with concession stands and restrooms; Jacob Hamblin Park with playground, water feature/splash pad, pavilion, picnic tables, basketball court, tennis court and restrooms; 1 Community park with cooking facilities; Museum; Library (374 N. Main); Rodeo arena; 3 Tennis Courts; Restrooms, playground equipment; Soccer Field and Walking Paths</p> <p>Kane County Hospital (355 North Main Street, Kanab, UT)</p> <p>Yes</p> <p>Additional 9 holes to Golf Course; Currently working on new Swimming Pool, new Tennis Courts, and Trails Master Plan</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Lagoon</p> <p>Yes</p> <p>Yes</p> <p>Yes (Able to accommodate additional growth)</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>15</u> Springs _____ Surface Water _____</p> <p>4.5 million gallons</p> <p>5 million gallons</p> <p>Residential <u>1700</u> Commercial <u>160</u></p> <p>1.4 million gallons</p> <p>851 gallons</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes (Kane County Water Conservancy District)</p>

## Jurisdiction's Self-Assessment

### Kanab City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	8	8
Fire Department Equipment	8	9
Fire Department Staffing/Volunteers	7	7
Police/Public Safety Facilities	5	4
Police/Public Safety Staffing	5	5
Recreational Facilities	6	7
Community Sewer System	8	8
Culinary Water System Source (We are working on new line & well)	3	3
Culinary Water System Storage	7	7
Culinary Water System Distribution (Working on new line from wells to City)	5	5
Streets and Roads	7	7
Streets and Roads Maintenance (Oil cost increase our costs)	6	6
Solid Waste Disposal (County)	N/A	N/A
Health Care (public or private) (County)	N/A	N/A
Animal Control Services	7	7
Court Facilities	7	7
Jail Facilities (County)	N/A	N/A
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No   

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

Construction of new swim facility, drilling new water well and purchasing new fire truck.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

Starting CEBA project.

# COMMUNITY

## Orderville Town

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	425 East State Street, Orderville, UT 84758
3. Is City Office facility in full compliance with ADA?	No (No handicap toilet in basement)
4. Number of FTE Employees:	2
5. Number of PT Employees:	2
Fire	
1. Addresses of Fire Stations	417 East State Street; Orderville, UT
2. Service Area (Portion of Town or All)	Orderville, Mt. Carmel and Mt. Carmel Junction
3. Average Response Time (2.5-4 minutes)	10 Minutes
4. Town/City Fire Dept. or Fire District?	Orderville Town Volunteer Fire Department
5. Is Station ADA Accessible?	No
6. Station Size	<u>2,620</u> sq. ft. # of Bays <u>4</u> (1 bay dedicated to ambulance)
7. Fire ISO Rating	7
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicle; Manufacturer (American LaFrance, Ford, etc.; Capacity; Condition <u>1977 American LaFrance 1,250 gpm, 750 gal. tank (Good);</u> <u>1976 E-1 1,000 gpm w/1,000 gallon tank; (Good);</u> <u>1973 Brush Truck 6x6 125 gpm (Fair); 1 Service Truck (Fair)</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>6 to 8</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>0</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>1 Engine/1 Aerial Truck</u> ; <u>SCVA Upgrade</u> ; <u>Hose &amp; Nozzels</u> ; <u>Turn-Out Gear</u> Facilities <u>New Station in Orderville &amp; Mt. Carmel</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>10</u> EMT <u>5</u> Paramedic <u>0</u>
Police	
1. Police Station Address	Contract with Kane County Sheriff Department
2. Average Response Time (Minutes)	Varies (Deputies living in Glendale, Orderville, and Mt. Carmel)
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	
5. Number of Employees	# Full-time Police _____ # of Part-time Police _____
6. Personnel needs during next 5 years	# Full-time _____ # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Two Tennis Courts; Park with picnic area; Pavilion; Little League Ballfield; Swimming Pool (100 East State Street); Picnic Area in Mt. Carmel</p> <p>Would like to expand Little League Ballfield; Library/Senior Citizens Center Upgrade; New Fire Station</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Lagoon (Long Valley SSD)</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>3</u> Springs <u>1</u> Surface Water _____</p> <p>(2 Wells backup for emergency use - Winter use Spring only)</p> <p>800,000</p> <p>Residential/Commercial <u>310</u></p> <p>158,400</p> <p>449 gallons (approximate)</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes (Private Irrigation Company)</p>

## Jurisdiction's Self-Assessment

### Orderville Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	3	3
Fire Department Equipment	4	5
Fire Department Staffing/Volunteers	2	2
Police/Public Safety Facilities (County)	N/A	N/A
Police/Public Safety Staffing (County)	N/A	N/A
Recreational Facilities	5	5
Community Sewer System	N/A	N/A
Culinary Water System Source	5	7
Culinary Water System Storage	5	7
Culinary Water System Distribution	5	7
Streets and Roads	5	4
Streets and Roads Maintenance	3	3
Solid Waste Disposal (County)	N/A	N/A
Health Care (public or private) (County)	N/A	N/A
Animal Control Services	N/A	N/A
Court Facilities	5	3
Jail Facilities (County)	N/A	N/A
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

Upgrade to water system, purchased new fire truck and received grant/loan to build a new fire station; completed new bridge on Center Street and completed new public swimming pool. Negative: Roads.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY Apple Valley

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	6802 East Meadow Lark Drive, Apple Valley, UT 84737
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	1
5. Number of PT Employees:	2
Fire	
1. Addresses of Fire Stations	Smithsonian Fire Station, 6802 East Meadow Lark Drive
2. Service Area (Portion of Town or All)	All of Apple Valley
3. Average Response Time (2.5-4 min.)	10 Minutes or less
4. Town/City Fire Dept. or Fire District?	Apple Valley Town
5. Is Station ADA Accessible?	Yes
6. Station Size	_____ sq. ft. # of Bays <u>3</u>
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1980 GMC Extraction Truck; American LaFrance Pumper; 3</u> <u>1992 Ford F-35 Brush Truck; 1973 American General Brush</u> <u>Truck; 1 International Brush Truck; 1968 Kaiser Water Tender</u> <u>1,000 gpm</u>
	Condition (poor, fair, good, excellent) <u>All Trucks in Good Condition</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>12</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>0</u> # Paramedics <u>1</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>Replacement Vehicles</u> Facilities <u>None</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers _____ EMT _____ Paramedic _____
Police	
1. Police Station Address	None - Contract with Washington Co. Sheriff Department
2. Average Response Time (Minutes)	Varies
3. Is Facility ADA Accessible (Yes/No)	N/A
4. Number of Police Vehicles	N/A
5. Number of Employees	# Full-time Police <u>0</u> # of Part-time Police <u>0</u>
6. Personnel needs during next 5 years	# Full-time ____ # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>None (Provided by Washington County)</p> <p>N/A</p> <p>N/A</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <input checked="" type="checkbox"/> Springs <input type="checkbox"/> Surface Water <input type="checkbox"/></p> <p>Water companies serving Apple Valley are independent from the town:  Apple Valley Water Company, Francis Harper 435-877-1182  Cedar Point Water Company, Jeremiah Wiser 435-467-2790</p> <p>Residential <input type="checkbox"/> Commercial <input type="checkbox"/></p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>No</p>

## Jurisdiction's Self-Assessment

### Apply Valley Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	7	8
Fire Department Equipment	6	5
Fire Department Staffing/Volunteers	5	7
Police/Public Safety Facilities (County)	N/A	N/A
Police/Public Safety Staffing (County)	N/A	N/A
Recreational Facilities	1	1
Community Sewer System	8	8
Culinary Water System Source	8	8
Culinary Water System Storage	8	8
Culinary Water System Distribution	8	8
Streets and Roads	8	8
Streets and Roads Maintenance	6	5
Solid Waste Disposal	10	10
Health Care (public or private) (Hurricane/St. George)	N/A	N/A
Animal Control Services	3	1
Court Facilities (County)	N/A	N/A
Jail Facilities (County)	N/A	N/A
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	N/A
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	N/A

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY Enterprise City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	375 S. 200 E., Enterprise, UT 84725
3. Is City Office facility in full compliance with ADA?	Yes (May be some necessary improvements)
4. Number of FTE Employees:	6
5. Number of PT Employees:	3 (Contract law enforcement and Judge services)
Fire	
1. Addresses of Fire Stations	238 East 200 South
2. Service Area (Portion of Town or All)	Enterprise City and surrounding area, Escalante Valley and Dixie National Forest (Beryl Fire Station takes care of the Escalante Valley in Iron County)
3. Average Response Time (2.5-4 min.)	5-6 Minutes (Immediate area)
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>3,800</u> sq. ft. # of Bays <u>4</u>
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction) <u>1991 Chevrolet Emergency Response/Rescue Truck;</u> <u>1988 Chevrolet 3/4 ton Brush Truck ; 1984 American General Brush Truck; 1977 American LaFrance Pumper 1,200 gal.;</u> <u>1984 American LaFrance Pumper 1,500 gal., 500 storage</u>
9. Firefighters	Condition (poor, fair, good, excellent) <u>All Vehicles in Good Condition</u> # of FT Firefighters <u>1 w/streets</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>20</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>15</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>Replace 1991 Chevrolet Emergency Response</u> Facilities <u>New Fire Station</u>
12. Fire personnel needs during next five years?	Full-Time <u>0</u> Part-Time <u>0</u> Volunteers <u>Getting into Wildland Fire 3-4 new volunteers since summer fire</u> EMT <u>+10</u> Paramedic _____
Police	
1. Police Station Address	Contract with Washington Co. Sheriff Dept./City Marshall
2. Average Response Time (Minutes)	5 Minutes Night (Daytime varies up to 1 hour)
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	1996 Buick LaSabre
5. Number of Employees	# Full-time Police <u>0</u> # of Part-time Police <u>0</u>
6. Personnel needs during next 5 years	# Full-time <u>1</u> # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Two Little League ballfields (300 South 300 East); One LDS Church softball field; Rodeo grounds with building; Library (393 South 200 East); Daughters of Utah Pioneers Museum; Senior Citizens Center (100 East 180 South); Enterprise Memorial Park (300 South 100 East) with pavilion, restrooms, and playground equipment</p> <p>Yes</p> <p>Working on RC&amp;D grant to develop one Little League field and pavilion at Crows Nest facility</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Lagoon</p> <p>Yes</p> <p>No</p> <p>Need 3<sup>rd</sup> lagoon - Planning underway for expansion</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>  2  </u> Springs <u>  2  </u> Surface Water <u>      </u></p> <p>1,861 g.p.m. per month 2.7 million gallons per day</p> <p>1.4 million gallons</p> <p>Residential <u> 526 </u> Commercial <u> 35 </u></p> <p>405 per minute average</p> <p>31,600 gallons per month</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>No</p>

## Jurisdiction's Self-Assessment

### Enterprise City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	5	4
Fire Department Equipment	9	9
Fire Department Staffing/Volunteers	9	9
Police/Public Safety Facilities	3	3
Police/Public Safety Staffing	5	5
Recreational Facilities	4	3
Community Sewer System	2	2
Culinary Water System Source	8	8
Culinary Water System Storage	6	6
Culinary Water System Distribution	7	7
Streets and Roads	7	6
Streets and Roads Maintenance	7	5
Solid Waste Disposal	7	7
Health Care (public or private)	8	8
Animal Control Services	8	8
Court Facilities	9	9
Jail Facilities	(County) N/A	N/A
Housing - Low to Moderate Income	(new assessment item for 2008) N/A	5
Housing - Needs for Area Workforce	(new assessment item for 2008) N/A	5

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Hildale City (2005 Information)

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	820 East Newel Avenue, Hildale, UT 84784
3. Is City Office facility in full compliance with ADA?	
4. Number of FTE Employees:	
5. Number of PT Employees:	
Fire	
1. Addresses of Fire Stations	350 East Newel Avenue, Hildale, UT
2. Service Area (Portion of Town or All)	Hildale/Colorado City
3. Average Response Time (2.5-4 minutes)	6 Minutes
4. Town/City Fire Dept. or Fire District?	Hildale City
5. Is Station ADA Accessible?	Yes/No
6. Station Size	<u>3,020</u> sq. ft. # of Bays _____
7. Fire ISO Rating	4
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicle; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); and Condition (poor, fair, good, excellent) _____ _____ _____ _____ _____
9. Firefighters	# of FT Firefighters _____ # of PT Firefighters _____ # of Volunteer Firefighters _____
10. How Many Firefighters are EMT/Paramedics	# EMT _____ # Paramedics _____
11. Estimated Fire Department needs during next five years?	Vehicles _____ Facilities _____
12. Fire personnel needs during next five years?	Full-Time _____ Part-Time _____ Volunteers _____ EMT _____ Paramedic _____
Police	
1. Police Station Address	Contract with Colorado City and Washington County
2. Average Response Time (Minutes)	Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	
5. Number of Employees	# Full-time Police _____ # of Part-time Police _____
6. Personnel needs during next 5 years	# Full-time _____ # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Two Baseball Fields; One Horseshoe Complex; Two Playgrounds; One Basketball/Volleyball Court; 12 Picnic areas; Restrooms; Fire Pit; Outdoor Amphitheater; Trails; Concession</p> <p>Yes</p> <p>Addition to Maxwell Park; Large Community Park adjacent to the Vermilion Cliffs in the NE side of the community with a trail adjacent to Short Creek; One or Two Mini-parks; a Community garden with a mini-park; Tennis Courts</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells _____ Springs _____ Surface Water _____</p> <p>Residential _____ Commercial _____</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	

# Jurisdiction's Self-Assessment

## Hildale

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities		
Fire Department Equipment		
Fire Department Staffing/Volunteers		
Police/Public Safety Facilities		
Police/Public Safety Staffing		
Recreational Facilities		
Community Sewer System		
Culinary Water System Source		
Culinary Water System Storage		
Culinary Water System Distribution		
Streets and Roads		
Streets and Roads Maintenance		
Solid Waste Disposal		
Health Care (public or private)		
Animal Control Services		
Court Facilities		
Jail Facilities		
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Hurricane City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	147 North 870 West, Hurricane, UT 84737
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	75
5. Number of PT Employees:	21 (Some seasonal for swimming pool and golf course)
Fire	
1. Addresses of Fire Stations	202 E. State (No. 1); 450 N. 3400 W. (No. 2); Hurricane, UT 310 North Main (No. 3); LaVerkin, UT
2. Service Area (Portion of Town or All)	No. 1 (Hurricane, LaVerkin, Toquerville, Virgin) No. 2 (Hurricane westside, Sand Hollow, Washington Co. area) No. 3 (LaVerkin, Toquerville, Virgin areas)
3. Average Response Time (2.5-4 min.)	5 Minutes
4. Town/City Fire Dept. or Fire District?	Hurricane City Fire Department
5. Is Station ADA Accessible?	Yes
6. Station Size	# 1: <u>9,000</u> sq. ft. # of Bays <u>4</u> # 2: <u>6,000</u> sq. ft. # of Bays <u>3</u> #3: <u>3,000</u> sq.ft. # of Bays <u>3</u>
7. Fire ISO Rating	4 (Hurricane No. 1) 6 (Outer areas Station No. 2 & No. 3)
8. Fire Vehicles:	Type; Year of Vehicles; Manufacturer; Capacity; Condition <b>No. 1 Station:</b> 2002 Pierce Ladder 200,000 gal., excellent; <u>1995 International Fire Engine 15,000 gal, excellent; 1992 Chevrolet Brush Truck, excellent; 2001 Ford Rescue Unit, excellent; 2001 &amp; 2003 Ford Ambulances, excellent;</u> <b>No. 2 Station:</b> 1989 FMC Fire Engine, good; <u>1980 Chevrolet Squad Unit, good</u> <b>No. 3 Station:</b> 1973 Ford 15,000 gal pumper, good; <u>1982 Chevrolet Squad Unit, good; 1986 Ford Brush Truck, good; 1997 Ford Ambulance, good</u>
9. Firefighters	# of FT Firefighters <u>5</u> # of PT Firefighters <u>16</u> # of Volunteer Firefighters <u>36 + 6 part-time paramedics</u> (The Fire Department runs 24-hour shifts at the No. 1 Station)
10. How Many Firefighters are EMT/ Paramedics	# EMT <u>18</u> # Paramedics <u>5</u> 6 part-time paramedics
11. Estimated Fire Department needs during next five years?	Vehicles <u>3</u> Facilities <u>1</u>
12. Fire personnel needs during next five years?	Full-Time <u>5</u> Part-Time <u>5</u> Volunteers <u>10</u> EMT <u>    </u> Paramedic <u>2</u>
Police	
1. Police Station Address	58 North 200 East, Hurricane, UT
2. Average Response Time (Minutes)	4.2 Minutes Emergency; 8-5 Minutes Non-emergency
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	13 (3 Unmarked)
5. Number of Employees	# Full-time Police <u>11-12</u> # of Part-time Police <u>2 Reserve</u>
6. Personnel needs during next 5 years	# Full-time <u>2</u> # Part-time <u>Varies 3-5 Reserve Officers</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (play-ground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p>	<p>Hurricane Valley Pioneer Museum; Library (36 South 300 West); Two Little League ballfields; One Softball Field; Ballfields, 750 North 200 West; Horseshoe Pits; Tennis Courts at the schools; Senior Citizens Center (95 North 300 West); Outdoor Swimming Pool (750 North 350 West); 18 Hole Golf Course; Rodeo Arena; Soccer Fields; Trails (Hurricane Canal and Gould Wash); Three Community Parks (Three Falls, 600 South 650 West; Main Street, 200 North Main Street; Stout ,750 North 200 West) with playground, restrooms, pavilion, picnic tables; Tot-lot Neighborhood Park under construction, 200 West 400 North, with picnic tables, playground equipment, restrooms and small pavilion.</p>
<p>2. Are all of the above fully ADA Accessible? (Yes/No)</p>	<p>Yes</p>
<p>3. Additional recreation facilities needed during next five years</p>	<p>Need additional trails; new neighborhood park; Recreation Center</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p>	<p>Yes</p>
<p>2. Type of System (i.e. lagoon, sewage treatment plant)</p>	<p>Lagoon (Ash Creek Special Service District)</p>
<p>3. Is system functioning as designed? (Yes/No)</p>	<p>Yes</p>
<p>4. Is system adequate for current use? (Yes/No)</p>	<p>?? (Sewer District indicated system is functioning at 60% capacity)</p>
<p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Sewer District recently completed capital facilities study to determine expansion for anticipated growth in area</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p>	<p>Wells <u>3</u> Springs <u>2</u> Surface Water _____</p>
<p>2. Total gallons (per day) source water available</p>	<p>999,000 MG per day</p>
<p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p>	<p>7 million gallons (6 Tanks)</p>
<p>4. Number of water connections</p>	<p>Residential <u>3,907</u> Commercial <u>323</u></p>
<p>5. Average overall daily use in gallons</p>	<p>2 million gallons day approximately</p>
<p>6. Average per connection use in gallons</p>	<p>692 gallons (average)</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes (Portion of Town)</p>

# Jurisdiction's Self-Assessment

## Hurricane City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	6	6
Fire Department Equipment	7	6
Fire Department Staffing/Volunteers	4	5
Police/Public Safety Facilities	3	3
Police/Public Safety Staffing	8	8
Recreational Facilities	4	3
Community Sewer System	6	6
Culinary Water System Source	8	8
Culinary Water System Storage	6	6
Culinary Water System Distribution	6	5
Streets and Roads	4	4
Streets and Roads Maintenance	5	5
Solid Waste Disposal	8	8
Health Care (public or private)	6	6
Animal Control Services	8	8
Court Facilities	7	6
Jail Facilities (County)	N/A	N/A
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	5
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	4

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes \_\_\_ No X

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year: Hurricane City hasn't had the funds to construct planned police station which is overcrowded. Road projects for new needed road construction exceeds available impact fees and general fund allotment.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

The industrial park at the Regional Park was completed and Wheeler Machinery opened. WalMart and Walgreen stores are under construction.

# COMMUNITY

## Ivins City

General Administration	
1. Government Type:	Manager by Ordinance
2. City Office Address:	55 North Main Street, Ivins, UT 84738
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	38
5. Number of PT Employees:	76
Fire	
1. Addresses of Fire Stations	90 West Center and Coyote Gulch
2. Service Area (Portion of Town or All)	Ivins City + Fire Service District 495 square miles of unincorporated area (Shivwit Paiute Reservation, Motoqua, Utah Hill Area)
3. Average Response Time (2.5-4 min.)	5-6 Minutes
4. Town/City Fire Dept. or Fire District?	Ivins City Fire Department (Division of Public Safety)
5. Is Station ADA Accessible?	Yes
6. Station Size	Center Street: <u>9,250</u> sq. ft. # of Bays <u>5</u> Coyote Gulch: <u>1,600</u> sq. ft. # of Bays <u>2</u>
7. Fire ISO Rating	
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicles; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); Condition (poor, fair, good, excellent) <u>(1) 2001 Pierce 65' Quint 2,000 GPM, Good; (1) 1998 Pierce Type I Engine 1,250 GPM, Good; (1) 1989 FMC Type I Engine 1,250 GPM, Fair; (1) 2001 GMC Type 6 Engine 200 GPM, Good; (1) 2004 Ford Type 6 Engine 200 GPM, Good; (1) 1992 Ford Ambulance, Fair; (1) 1981 Ford Ambulance, Poor</u>
9. Firefighters	# of FT Firefighters <u>1</u> # of PT Firefighters <u>10</u> # of Volunteer Firefighters <u>50</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>38</u> # Paramedics <u>1</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>5</u> Facilities <u>1</u>
12. Fire personnel needs during next five years?	Full-Time <u>15</u> Part-Time <u>0</u> Volunteers <u>50</u> EMT <u>40</u> Paramedic <u>10</u>
Police	
1. Police Station Address	90 West Center Street
2. Average Response Time (Minutes)	5 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	10
5. Number of Employees	# Full-time Police <u>8</u> # of Part-time Police <u>2</u>
6. Personnel needs during next 5 years	# Full-time <u>16</u> # Part-time <u>3</u>

## Recreation/Cultural

1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available

List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)

2. Are all of the above fully ADA Accessible? (Yes/No)

3. Additional recreation facilities needed during next five years

### **Unity Park (200 West 400 South - Neighborhood Park)**

Lighted Tennis Courts, Lighted Basketball Courts, Adult Softball Field; Youth Baseball/Softball Field; Area for 3 Soccer Fields; Multi-purpose building for classes/meetings; Pavilion; Children's Playground; Restrooms; Walking Path

**Planned Amenities:** Splash pad and skate park

**Ivins City Park (Main Street and 100 North)** Softball/Baseball Field; Two Picnic Pavilions; Playground; Restrooms; Outdoor Basketball Court; Outdoor Sand Volleyball Court; Horseshoe Pit; Open Area; Fire Ring

**Planned Amenities:** Softball/baseball field improvements, including updated lighting

### **Megan Fitness Course (Center Street and 400 East)**

Adult Fitness Equipment; Grass Area and Desert Landscaping

**Planned Amenities:** Drinking Fountain; bicycle rack

### **Del Coronado Park (500 South 100 East)**

Playground; Open Grass Area; Basketball Hoop

**Planned Amenities:** Additional playground equipment, picnic area, drinking fountain; and shade trees

### **Red Rock Canyon Park (600 South 700 East - Neighborhood Park)**

Basketball ½ Court; Sand Volleyball Court; Picnic Area; Open Grass Area; Acts as a trail head and access to Red Rock Canyon Area.

**Planned Amenities:** Playground, bicycle racks, drinking fountain, benches

### **Abby Gail Park (100 North Tuacahn Drive - Community Park)**

Paved Trail Bordering the Springs Development; Water Feature  
**Planned Amenities:** Complete bike/pedestrian path along the wash, add benches, bicycle racks, drinking fountain, shade trees and some monuments or public art.

### **Kayenta Rock Park (Near West Evening Star Drive in Kayenta); Wintook Hill Open Area (Near Wintook Drive in Kayenta); and Evening Star Park (Evening Star Drive in Kayenta)**

No existing Amenities. Recommended to Preserve Natural Vegetation and Rock Landscape

Some facilities are not fully accessible.

### **Pond Park (200 South 300 East - Neighborhood Park)**

**Planned Amenities/Recommendations:** Park with open grass area; public fishing pond; pond with water falls; picnic areas; benches; restrooms; bicycle racks; shade trees; walking paths, etc.

### **Recreation Complex (150 North 200 East)**

**Planned Amenities/Recommendations:** Develop a multi-purpose indoor recreation and community center building. Indoor amenities to include: basketball court/multi-use gymnasium; exhibit space, weight room/fitness area; aerobics/dance room; game room; climbing wall; indoor walking track; meeting rooms; support offices; storage, etc. There is also a possibility of combining a Senior Citizens Center and Library with this facility.

### **Ivins Reservoir Park (Highway 91, West of Kayenta Drive - Community Park)**

**Planned Amenities/Recommendations:** Park with picnic areas, restrooms, drinking fountain; benches; bicycle racks; shade trees; develop access to planned Taviawk Loop Trail and the Reservoirs Trail; prepare natural vegetation areas and natural walking paths; preserve large area for wetland and a bird habitat.

<b>Sewer Systems</b>	
1. Is there a sewer system? (Yes/No)	Yes
2. Type of System (i.e. lagoon, sewage treatment plant)	Collection System Only
3. Is system functioning as designed? (Yes/No)	Yes
4. Is system adequate for current use? (Yes/No)	Yes
5. Does City/Town believe system will be adequate for next five years? (Yes/No)	Mostly yes, however there are areas of concern
<b>Culinary Water</b>	
1. What are sources of culinary water	Wells <input checked="" type="checkbox"/> Springs <input type="checkbox"/> Surface Water <input checked="" type="checkbox"/>
2. Total gallons (per day) source water available	3.5 MGD
3. Storage capacity in (million gallons) i.e. 0.5 MG	4 MG
4. Number of water connections	Residential <u>2,446</u> Commercial <u>14</u> Other <u>43</u>
5. Average overall daily use in gallons	1.4 MGD
6. Average per connection use in gallons	540 spd
<b>Secondary Water (Irrigation) System</b>	
1. Does community have a secondary water system? Yes/No	Private at this time - City secondary being designed.

# Jurisdiction's Self-Assessment

## Ivins City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	3	3
Fire Department Equipment	7	7
Fire Department Staffing/Volunteers	6	5
Police/Public Safety Facilities	4	3
Police/Public Safety Staffing	7	7
Recreational Facilities	5	3
Community Sewer System	9	9
Culinary Water System Source	10	10
Culinary Water System Storage	8	6
Culinary Water System Distribution	7	5
Streets and Roads	6	4
Streets and Roads Maintenance	6	4
Solid Waste Disposal	10	10
Health Care (public or private)	N/A	N/A
Animal Control Services	5	6
Court Facilities	7	7
Jail Facilities (County)	3	3
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	5
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	5

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

Recreation facilities are inadequate for growth in recreation activities.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

Development has slowed while need for infrastructure has grown.

# COMMUNITY LaVerkin City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	435 North Main Street, LaVerkin, UT 84745
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	19
5. Number of PT Employees:	10
Fire	
1. Addresses of Fire Stations	310 North Main (No. 3); LaVerkin, UT
2. Service Area (Portion of Town or All)	<b>Station No. 3:</b> LaVerkin, Toquerville, Virgin areas
3. Average Response Time (2.5-4 minutes)	5-6 Minutes
4. Town/City Fire Dept. or Fire District?	City Fire Department (Contract for service with Hurricane) Fire District - Currently under consideration
5. Is Station ADA Accessible?	Yes
6. Station Size	<b>Station No. 3:</b> <u>3,000</u> sq.ft. # of Bays <u>6</u>
7. Fire ISO Rating	
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicles; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); Condition (poor, fair, good, excellent) <b>No. 3 Station:</b> <u>1973 Ford 15,000 gal pumper, good condition;</u> <u>1982 Chevrolet Squad Unit, good condition; 1986 Ford Brush;</u> <u>Truck, good condition; 1997 Ford Ambulance, good condition</u>
9. Firefighters	# of FT Firefighters <u>5</u> # of PT Firefighters <u>16</u> # of Volunteer Firefighters <u>36 + 6 part-time paramedics</u> (Hurricane Fire Department Information)
10. How Many Firefighters are EMT/Paramedics	# EMT <u>18</u> # Paramedics <u>5</u> 6 part-time paramedics (Hurricane Fire Department Information)
11. Estimated Fire Department needs during next five years?	Vehicles <u>3</u> Facilities <u>1</u> (Hurricane Fire Department Information)
12. Fire personnel needs during next five years?	Full-Time <u>5</u> Part-Time <u>5</u> Volunteers <u>10</u> EMT <u>    </u> Paramedic <u>2</u> (Hurricane Fire Dept. Info.)
Police	
1. Police Station Address	111 South Main Street, LaVerkin, UT 84745
2. Average Response Time (Minutes)	3-5 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	6
5. Number of Employees	# Full-time Police <u>5</u> # of Part-time Police <u>6</u>
6. Personnel needs during next 5 years	# Full-time <u>2</u> # Part-time <u>2</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Community Park (350 North Main Street) Pavilion, Restrooms, 2 Basketball Courts, 1 Baseball Field, Horseshoe Pits; One Small Park Facility with basketball standards (111 South Main Street)</p> <p>Yes/No</p> <p>Raquetball Court; Three Parks Planned and Ready for Construction; Need Community Center and Ballfield Complex</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes Ash Creek Sewer Improvement District Collection</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells ___ Springs <u>2</u> Surface Water ___</p> <p>590,000</p> <p>2 Million Gallons</p> <p>Residential/Commercial <u>1,530</u></p> <p>340,000</p> <p>222</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes (LaVerkin Canal Company)</p>

# Jurisdiction's Self-Assessment

## LaVerkin City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	8	8
Fire Department Equipment	2	3
Fire Department Staffing/Volunteers	5	5
Police/Public Safety Facilities	6	3
Police/Public Safety Staffing	7	3
Recreational Facilities	4	3
Community Sewer System	8	8
Culinary Water System Source	8	8
Culinary Water System Storage	5	7
Culinary Water System Distribution	5	7
Streets and Roads	6	6
Streets and Roads Maintenance	4	4
Solid Waste Disposal	6	5
Health Care (public or private)	3	3
Animal Control Services	3	5
Court Facilities	4	5
Jail Facilities (County)	5	5
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	5
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	5

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes \_\_\_ No X

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

The police building is deteriorating, the roof is leaking worse. Built new public works building.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Leeds Town (2005 Information)

General Administration	
1. Government Type:	Mayor/City Council/Town Board
2. City Office Address:	218 North Main Street, Leeds, UT 84746
3. Is City Office facility in full compliance with ADA?	No (Not Completely)
4. Number of FTE Employees:	1
5. Number of PT Employees:	4
Fire	
1. Addresses of Fire Stations	730 North Main; P.O. Box 0901; Leeds, UT 84746
2. Service Area (Portion of Town or All)	Leeds, Silver Reef, Silver Valley, Harrisburg North to Pintura and 1-15 Milepost 16-35
3. Average Response Time (2.5-4 min.)	5-6 Minutes
4. Town/City Fire Dept. or Fire District?	Leeds Area SSD (Fire and Emergency)
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>50' x 60'</u> # of Bays <u>3</u>
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicles; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); Condition (poor, fair, good, excellent) <u>2002 Pierce Engine (Excellent); 2003 Pierce Pumper (Excellent); 1981 Ford Brush Truck (Average/Poor); 2001 and 2002 Ford Ambulances (Excellent);</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>26</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>18</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>1 Brush Truck</u> Facilities <u>No Additional</u>
12. Fire personnel needs during next five years?	Full-Time <u>1</u> Part-Time <u>0</u> Volunteers <u>Yes</u> EMT _____ Paramedic _____
Police	
1. Police Station Address	245 North Main Street; Leeds, UT 84746
2. Average Response Time (Minutes)	10-15 Minutes (Washington County Sheriff and Leeds Town)
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	1
5. Number of Employees	# Full-time Police <u>0</u> # of Part-time Police <u>1</u>
6. Personnel needs during next 5 years	# Full-time <u>Possibly</u> # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>City Center Park with a Ballfield, Pavilion, Playground Equipment, Volleyball Court and Horseshoe Pit</p> <p>Yes</p> <p>Park Extension in progress</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>Yes</p> <p>Septic Tanks</p> <p>Looking at state to approve new disposal method for specific subdivisions and for a sewer treatment facility</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>  1  </u> Springs <u>  1  </u> Surface Water <u>      </u></p> <p>685,000 gallons</p> <p>Residential <u>      </u> Commercial <u>      </u></p> <p>30,000 gallons per month</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes (Leeds Irrigation Company) In process of installing pressurized system</p>

# Jurisdiction's Self-Assessment

## Leeds Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities		
Fire Department Equipment		
Fire Department Staffing/Volunteers		
Police/Public Safety Facilities		
Police/Public Safety Staffing		
Recreational Facilities		
Community Sewer System		
Culinary Water System Source		
Culinary Water System Storage		
Culinary Water System Distribution		
Streets and Roads		
Streets and Roads Maintenance		
Solid Waste Disposal		
Health Care (public or private)		
Animal Control Services		
Court Facilities		
Jail Facilities		
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## New Harmony Town

General Administration	
1. Government Type:	Mayor/Town Council
2. City Office Address:	133 East Center Street, P.O. Box 620, New Harmony, UT 84757
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	0
5. Number of PT Employees:	5 (Does not include Mayor/Council)
Fire	
1. Addresses of Fire Stations	New Harmony
2. Service Area (Portion of Town or All)	Entire Valley
3. Average Response Time (2.5-4 min.)	5-6 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>1,500</u> sq. ft. # of Bays <u>2</u>
7. Fire ISO Rating	10
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicles; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); Condition (poor, fair, good, excellent) <u>1 Pumper Truck 1,000 gallons</u> ; <u>1 Brush Truck 1,000 gallons</u> ;
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>0</u> # of Volunteer Firefighters <u>12</u>
10. How Many Firefighters are EMT/Paramedics	# EMT _____ # Paramedics _____
11. Estimated Fire Department needs during next five years?	Vehicles _____ Facilities _____
12. Fire personnel needs during next five years?	Full-Time _____ Part-Time _____ Volunteers _____ EMT _____ Paramedic _____
Police	
1. Police Station Address	Service Provided by Washington County Sheriff Department
2. Average Response Time (Minutes)	0-155 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	N/A
5. Number of Employees	# Full-time Police _____ # of Part-time Police _____
6. Personnel needs during next 5 years	# Full-time _____ # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>1.5 acre park in town limits with playground equipment, horseshoe pit, benches, picnic tables and ball diamond; 40 acres leased from BLM to be developed into nature park that will have interpretative nature trails (approximately 2 miles), pavilion for picnics, riding arena, etc.</p> <p>No</p> <p>Continue working on 40 acre park. Apply for grants to develop nature park.</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>No</p> <p>Septic Tanks</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <input checked="" type="checkbox"/> Springs <input checked="" type="checkbox"/> Surface Water _____</p> <p>357,000 avg.</p> <p>0.25 MG</p> <p>Residential <u>100</u> Commercial _____</p> <p>66,000</p> <p>660 gal/day</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes Town is served with irrigation water by New Harmony Irrigation Company, which is not associated with the town.</p>

# Jurisdiction's Self-Assessment

## New Harmony Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities		
Fire Department Equipment		
Fire Department Staffing/Volunteers		
Police/Public Safety Facilities	5	
Police/Public Safety Staffing	5	
Recreational Facilities	6	
Community Sewer System (Septic Tanks)	N/A	
Culinary Water System Source	9	
Culinary Water System Storage	8	
Culinary Water System Distribution	7	
Streets and Roads	4	
Streets and Roads Maintenance	3	
Solid Waste Disposal	10	
Health Care (public or private)	6	
Animal Control Services	5	
Court Facilities	7	
Jail Facilities (County)	7	
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Rockville Town

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	43 East Main Street, Rockville, UT 84763 (Community Center)
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	0
5. Number of PT Employees:	1
Fire	
1. Addresses of Fire Stations	1130 Zion Park Boulevard, Springdale, UT 84767
2. Service Area (Portion of Town or All)	Springdale/Rockville
3. Average Response Time (2.5-4 minutes)	8-10 Minutes
4. Town/City Fire Dept. or Fire District	Rockville/Springdale Fire Protection District
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>4,500</u> sq. ft. # of Bays <u>2</u>
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicles; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); Condition (poor, fair, good, excellent) <u>1991 Becker 750 GPM Pumper Engine (Good)</u> <u>1994 Freightliner, 1500 GPM Pumper (Fair)</u> <u>1997 Ford Brush Truck 100 GPM (Fair)</u> <u>2001 Ford Boise Mobile 250 GPM Rescue (Excellent)</u> <u>2007 Chevrolet Commend Vehicle (Excellent)</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>2</u> # of Volunteer Firefighters <u>8</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>3</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>Replace Becker Pumper and Brush Truck</u> <u>Purchase Ladder Truck and another Brush Truck</u> Facilities <u>Build a Three Bay Substation in Rockville</u>
12. Fire personnel needs during next five years?	Full-Time <u>1</u> Part-Time <u>2</u> Volunteers <u>Increase to 20</u> EMT <u>6</u> Paramedic <u>6</u>
Police	
1. Police Station Address	Contract with Springdale Town/ Washington Co. Sheriff Department Provides Backup
2. Average Response Time (Minutes)	5-10 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	4
5. Number of Employees	# Full-time Police <u>3</u> # of Part-time Police <u>0</u>
6. Personnel needs during next 5 years	# Full-time <u>2</u> # Part-time <u>0</u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p>Community Center; Park (43 East Main Street) with Pavilion, Picnic Tables, Slide/Swing Set, Half Basketball Court, Restrooms and Walking Path</p> <p>Yes</p> <p>Possibly some new playground equipment and replacement of picnic benches</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes (Springdale) Only homes along Main Street are on sewer line, with a few exceptions.</p> <p>Lagoon</p> <p>No Sewer line has fractures and many low spots (bellies). Strong odor often in Rockville.</p> <p>Yes</p> <p>Yes (½ Capacity; Depends on Development in next 5 to 10 years)</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>√</u> Springs <u>    </u> Surface Water <u>    </u></p> <p>Varies</p> <p>0.35 M (2 tanks)</p> <p>Residential <u>152</u> Commercial <u>0</u></p> <p>41,000 gallons</p> <p>270 gal/day 98,550 gal/year</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

# Jurisdiction's Self-Assessment

## Rockville Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	8	
Fire Department Equipment	7	
Fire Department Staffing/Volunteers	6	
Police/Public Safety Facilities	8	
Police/Public Safety Staffing	8	
Recreational Facilities	6	
Community Sewer System	5	
Culinary Water System Source	8	
Culinary Water System Storage	8	
Culinary Water System Distribution	8	
Streets and Roads	7	
Streets and Roads Maintenance	7	
Solid Waste Disposal	8	
Health Care (public or private)	N/A	
Animal Control Services	6	
Court Facilities (County)	N/A	
Jail Facilities (County)	N/A	
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Santa Clara City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	2721 Santa Clara Drive; Santa Clara, UT 84765
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	26
5. Number of PT Employees:	10
Fire	
1. Addresses of Fire Stations	2365 N. Rachel Drive and 2775 Circle Drive, Santa Clara, UT
2. Service Area (Portion of Town or All)	All of Santa Clara City
3. Average Response Time (2.5-4 min.)	5-6 Minutes
4. Town/City Fire Dept. or Fire District?	Santa Clara City Fire Department
5. Is Station ADA Accessible?	Yes
6. Station Size	No. 1: <u>1,320 sq. ft.</u> # of Bays <u>2</u> No. 2: <u>9,164 sq. ft.</u> # of Bays <u>3</u>
7. Fire ISO Rating	5
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicles; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); Condition (poor, fair, good, excellent) <u>2006 International 500 GPM Type 3, Excellent;</u> <u>2003 Ford F550 Brush Truck, 500 GPM Type 6, Excellent;</u> <u>1996 Pierce Saper, 1,500 GPM, Type 1, Excellent;</u> <u>1987 FMC Pumper, 1,000 GPM, Type 2, Good;</u> <u>1983 FMC Squad 450 GPM, Type 6, Good;</u>
9. Firefighters	# of FT Firefighters <u>2</u> # of PT Firefighters <u>    </u> # of Volunteer Firefighters <u>25</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>19</u> # Paramedics <u>1</u>
11. Estimated Fire Department needs during next five years?	Vehicles <u>3 New</u> Facilities <u>1 New</u>
12. Fire personnel needs during next five years?	Full-Time <u>7</u> Part-Time <u>    </u> Volunteers <u>20 Additional</u> EMT <u>    </u> Paramedic <u>5</u>
Police	
1. Police Station Address	2365 N. Rachael Drive and 2775 Circle Drive; Santa Clara, UT
2. Average Response Time (Minutes)	2-3 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	7 2006 Dodge Charger; 2006 Dodge Durango; (2) 2005 Ford Crown Vic; 2002 Buick Century; 1999 Dodge Durango; 1998 Ford F150
5. Number of Employees	# Full-time Police <u>6</u> # of Part-time Police <u>1</u>
6. Personnel needs during next 5 years	# Full-time <u>3</u> # Part-time <u>    </u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p><b>Archie H. Gubler Park, 2375 Rachael Drive</b> - Softball fields, Soccer fields, Splash Pad, Pavilion, Restrooms, Concession Stand, Walking Trail and Bleachers</p> <p><b>Black Rock Park, 2501 Concord Avenue</b> - Playground, Pavilion, Basketball Court, Restrooms, Picnic Tables</p> <p><b>Leavitt Park, 2587 Santa Clara Drive</b> - Sara Leavitt Statute, Leavitt's Genealogy Plaque</p> <p><b>Canyon View Park, 1400 Canyon View Drive</b> - Playground, Restrooms, Softball Field, Tennis Courts, Soccer Field, Volleyball, Pavilions, Trail Head and Drinking Fountain, Spence Gunn Baseball Field, Little League ball fields, and Skate Park</p> <p><b>Heritage Park, 3020 Santa Clara Drive</b> - Heritage Square, Relief Society Building, Ideal for weddings, reunions and other gatherings</p> <p>All new facilities built to ADA specifications</p> <p>Archie H. Gubler park is still under construction. Phase 1 &amp; 2 completed. Phase 3 will add fishing pond and Phase 4 will create an open space area of grass. Leavitt Park is currently under expansion to coincide with construction of new Santa Clara City Hall.</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Collection</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>√</u> Springs ____ Surface Water ____</p> <p>2.5 mgd</p> <p>3.75 MG</p> <p>Residential <u>1,852</u> Commercial <u>21</u></p> <p>1.4 m</p> <p>757</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

# Jurisdiction's Self-Assessment

## Santa Clara City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities		
Fire Department Equipment		
Fire Department Staffing/Volunteers		
Police/Public Safety Facilities		
Police/Public Safety Staffing		
Recreational Facilities		
Community Sewer System		
Culinary Water System Source		
Culinary Water System Storage		
Culinary Water System Distribution		
Streets and Roads		
Streets and Roads Maintenance		
Solid Waste Disposal		
Health Care (public or private)		
Animal Control Services		
Court Facilities		
Jail Facilities		
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

# COMMUNITY

## Springdale Town

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	118 Lion Boulevard; Springdale, UT 84767
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	13
5. Number of PT Employees:	0
Fire	
1. Addresses of Fire Stations	1130 Zion Park Boulevard; Springdale, UT 84767
2. Service Area (Portion of Town or All)	Springdale/Rockville; Assisted by Hurricane, National Park Service and Bureau of Land Management
3. Average Response Time (2.5-4 min.)	8-10 Minutes
4. Town/City Fire Dept. or Fire District?	Springdale/Rockville Fire Protection District
5. Is Station ADA Accessible?	Yes
6. Station Size	<u>4,500</u> sq. ft. # of Bays <u>2</u>
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicles; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); Condition (poor, fair, good, excellent) <u>1991 Becker 750 gpm Pumper Engine (Good)</u> <u>1994 Freightliner 1,500 GPM Pumper (Fair)</u> <u>1997 Ford Brush Truck 100 GPM (Fair)</u> <u>2001 Ford Boise Mobile 250 GPM Rescue Truck (Excellent)</u> <u>2007 Chevrolet Command Vehicle (Excellent)</u>
9. Firefighters	# of FT Firefighters <u>0</u> # of PT Firefighters <u>2</u> # of Volunteer Firefighters <u>8</u> (Captain/Fire Marshal)
10. How Many Firefighters are EMT/Paramedics	# EMT <u>3</u> # Paramedics <u>0</u>
11. Estimated Fire Department needs during next five years?	<u>Vehicles Replace Becker Engine and Brush Truck</u> <u>Purchase Ladder Truck and Another Brush Truck</u> <u>Facilities Build a 3 bay Fire Station in Rockville</u>
12. Fire personnel needs during next five years?	Full-Time <u>1</u> Part-Time <u>2</u> Volunteers <u>Increase to 20</u> EMT <u>6</u> Paramedic <u>6</u>
Police	
1. Police Station Address	118 Lion Boulevard; Springdale, UT 84767
2. Average Response Time (Minutes)	8-10 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	3
5. Number of Employees	# Full-time Police <u>3</u> # of Part-time Police <u>0</u>
6. Personnel needs during next 5 years	# Full-time <u>1 (Admin. Staff)</u> # Part-time <u>    </u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p><b>Town Hall:</b> 118 Lion Boulevard, Springdale, UT  <b>Community Park:</b> Tennis Courts, Baseball/soccer Field; Gazebo; Picnic Area; Volleyball Court; Children's Playground; Restroom.  <b>River Park:</b> With River Access, Public Restrooms, Picnic Areas, Pedestrian River Walk  <b>Canyon Community Center in Springdale:</b> Seats 200. Includes multi-purpose rooms for weddings, reunions, conferences, concerts, etc. Gallery space that houses art shows every 6 weeks. Outdoor amphitheater which seats 150 (grass)  <b>Washington Co. Branch Library:</b> Opened October, 2006.</p> <p>Yes</p> <p>Replace children's play equipment, additional picnic areas and public restrooms.</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Lagoon</p> <p>Yes</p> <p>Yes</p> <p>Yes (½ Capacity - Depends on Development with 5 to 10 years)</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells ___ Springs ___ Surface Water <u>1 Cul from River</u></p> <p>1.33 cu. ft. per second</p> <p>.95 million gallons</p> <p>Residential <u>221</u> Commercial <u>95</u></p> <p>Ranges gallons used (2-7 million gallons per month)</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

# Jurisdiction's Self-Assessment

## Springdale Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities	8	
Fire Department Equipment	8	
Fire Department Staffing/Volunteers	6	
Police/Public Safety Facilities	8	
Police/Public Safety Staffing	9	
Recreational Facilities	9	
Community Sewer System	8	
Culinary Water System Source	8	
Culinary Water System Storage	8	
Culinary Water System Distribution	8	
Streets and Roads	7	
Streets and Roads Maintenance	7	
Solid Waste Disposal	7	
Health Care (public or private)	6	
Animal Control Services	7	
Court Facilities	8	
Jail Facilities	8	
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_  
**(With the exception of repair/replacement of one section of 6" water main to 8" water main. Will also have storage issues.)**

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

Parking (tourist) will continue to be issue for foreseeable future.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

\_\_\_\_\_

\_\_\_\_\_

# COMMUNITY

## Toquerville City

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	212 Toquerville Boulevard, Toquerville, UT 84774
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	2
5. Number of PT Employees:	3 (Contract Cemetery/Park/Town Hall Maintenance)
Fire	
1. Addresses of Fire Stations	Served by Hurricane City
2. Service Area (Portion of Town or All)	<b>Station No. 3:</b> LaVerkin, Toquerville, Virgin areas
3. Average Response Time (2.5-4 min.)	5-6 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	No. 3: <u>3,000</u> sq.ft. # of Bays <u>3</u>
7. Fire ISO Rating	
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicles; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); Condition (poor, fair, good, excellent) <b>No. 3 Station:</b> <u>1973 Ford 15,000 gal pumper, good condition;</u> <u>1982 Chevrolet Squad Unit, good condition;</u> <u>1986 Ford Brush;</u> <u>Truck, good condition;</u> <u>1997 Ford Ambulance, good condition</u>
9. Firefighters	# of FT Firefighters <u>5</u> # of PT Firefighters <u>16</u> # of Volunteer Firefighters <u>36 + 6 part-time paramedics</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>18</u> # Paramedics <u>5</u> 6 part-time paramedics
11. Estimated Fire Department needs during next five years?	Vehicles <u>3</u> Facilities <u>1</u>
12. Fire personnel needs during next five years?	Full-Time <u>5</u> Part-Time <u>5</u> Volunteers <u>10</u> EMT <u>    </u> Paramedic <u>2</u>
Police	
1. Police Station Address	Service Provided by Washington County Sheriff Depratment
2. Average Response Time (Minutes)	Varies
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	
5. Number of Employees	# Full-time Police <u>        </u> # of Part-time Police <u>        </u>
6. Personnel needs during next 5 years	# Full-time <u>        </u> # Part-time <u>        </u>

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p><b>Town Office Park</b>- Picnic Pavilion, Tables, Chairs, Stage, Small Playground, Volleyball Standards and Net for Lawn Area  <b>New Community Park, 250 West Center Street</b> - Pavilion Playground Equipment; Picnic Tables; Baseball Diamond with lights; Restrooms</p> <p>Yes</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes (Ash Creek Sewer Improvement District)</p> <p>Collection lagoons</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells _____ Springs <u>1</u> Surface Water _____</p> <p>½ Seconds Water</p> <p>700,000 gallons</p> <p>Residential <u>450</u> Commercial _____</p> <p>219,000</p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Yes</p>

# Jurisdiction's Self-Assessment

## Toquerville City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed			
		RATING 1-10	
		Last Year	2008
Fire Department Facilities	(Hurricane City)	N/A	8
Fire Department Equipment	(Hurricane City)	N/A	10
Fire Department Staffing/Volunteers	(Hurricane City)	N/A	9
Police/Public Safety Facilities	(County)	N/A	8
Police/Public Safety Staffing	(County)	N/A	9
Recreational Facilities		8	9
Community Sewer System		10	10
Culinary Water System Source		10	10
Culinary Water System Storage		9	10
Culinary Water System Distribution		8	9
Streets and Roads		5	5
Streets and Roads Maintenance		7	6
Solid Waste Disposal		10	10
Health Care (public or private)		N/A	N/A
Animal Control Services		1	1
Court Facilities	(County)	N/A	
Jail Facilities	(County)	N/A	
Housing - Low to Moderate Income	(new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce	(new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes X No \_\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

Water Master Plan and Streets Master Plan completed.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

Several developers show interest in Anderson Junction area (commercial) - no buildings yet.

# COMMUNITY

## Virgin Town (2005 Information)

General Administration	
1. Government Type:	Mayor/City Council
2. City Office Address:	101 South Mill Street, P.O. Box 790-008, Virgin, UT 84780
3. Is City Office facility in full compliance with ADA?	Yes
4. Number of FTE Employees:	
5. Number of PT Employees:	
Fire	
1. Addresses of Fire Stations	<b>Station No. 3:</b> 310 North Main, LaVerkin, UT
2. Service Area (Portion of Town or All)	<b>Station No. 3:</b> LaVerkin, Toquerville, Virgin areas
3. Average Response Time (2.5-4 min.)	5-10 Minutes
4. Town/City Fire Dept. or Fire District?	None
5. Is Station ADA Accessible?	Yes
6. Station Size	<b>Station No. 3:</b> <u>3,000</u> sq.ft. # of Bays <u>3</u>
7. Fire ISO Rating	6
8. Fire Vehicles:	Type (Pumper, Brush, Ladder, Extraction); Year of Vehicles; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); Condition (poor, fair, good, excellent) <b>No. 3 Station:</b> <u>1973 Ford 15,000 gal pumper, good condition;</u> <u>1982 Chevrolet Squad Unit, good condition; 1986 Ford Brush;</u> <u>Truck, good condition; 1997 Ford Ambulance, good condition</u>
9. Firefighters	# of FT Firefighters <u>5</u> # of PT Firefighters <u>16</u> # of Volunteer Firefighters <u>36 + 6 part-time paramedics</u>
10. How Many Firefighters are EMT/Paramedics	# EMT <u>18</u> # Paramedics <u>5</u> 6 part-time paramedics
11. Estimated Fire Department needs during next five years?	Vehicles <u>3</u> Facilities <u>1</u>
12. Fire personnel needs during next five years?	Full-Time <u>5</u> Part-Time <u>5</u> Volunteers <u>10</u> EMT <u>      </u> Paramedic <u>2</u>
Police	
1. Police Station Address	Service Provided by Washington County Sheriff Department
2. Average Response Time (Minutes)	15-20 Minutes
3. Is Facility ADA Accessible (Yes/No)	Yes
4. Number of Police Vehicles	
5. Number of Employees	# Full-time Police <u>      </u> # of Part-time Police <u>      </u>
6. Personnel needs during next 5 years	# Full-time <u>      </u> # Part-time <u>      </u>

Recreation/Cultural	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p><b>Community Park</b> - Picnic Tables, 2 Tennis Courts and Playground Equipment Community Center</p> <p>No</p> <p>Virgin/Smith Mesa Recreation Area</p>
Sewer Systems	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes (Ash Creek Sewer Improvement District)</p> <p>Collection</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
Culinary Water	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells ____ Springs ____ Surface Water ____</p> <p>Residential ____ Commercial ____</p>
Secondary Water (Irrigation) System	
<p>1. Does community have a secondary water system? Yes/No</p>	

# Jurisdiction's Self-Assessment

## Virgin Town

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed		
	RATING 1-10	
	Last Year	2008
Fire Department Facilities		
Fire Department Equipment		
Fire Department Staffing/Volunteers		
Police/Public Safety Facilities		
Police/Public Safety Staffing		
Recreational Facilities		
Community Sewer System		
Culinary Water System Source		
Culinary Water System Storage		
Culinary Water System Distribution		
Streets and Roads		
Streets and Roads Maintenance		
Solid Waste Disposal		
Health Care (public or private)		
Animal Control Services		
Court Facilities		
Jail Facilities		
Housing - Low to Moderate Income (new assessment item for 2008)	N/A	
Housing - Needs for Area Workforce (new assessment item for 2008)	N/A	

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

---



---

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year:

---



---

**COMMUNITY**  
**Washington City** (2005 Information)

<b>General Administration</b>	
1. Government Type: 2. City Office Address: 3. Is City Office facility in full compliance with ADA? 4. Number of FTE Employees: 5. Number of PT Employees:	Mayor/City Council 111 North 100 East, Washington, UT 84780 Yes
<b>Fire</b>	
1. Addresses of Fire Stations 2. Service Area (Portion of Town or All) 3. Average Response Time (2.5-4 min.) 4. Town/City Fire Dept. or Fire District? 5. Is Station ADA Accessible? 6. Station Size 7. Fire ISO Rating 8. Fire Vehicles: 9. Firefighters 10. How Many Firefighters are EMT/Paramedics 11. Estimated Fire Department needs during next five years? 12. Fire personnel needs during next five years?	Washington City (50 square miles) Washington City Fire Department Yes _____ sq. ft.    # of Bays _____ Type (Pumper, Brush, Ladder, Extraction); Year of Vehicles; Manufacturer (American LaFrance, Ford, etc.); Capacity (2,000 g.p.m.); Condition (poor, fair, good, excellent) _____; _____; _____; _____; _____; _____; # of FT Firefighters <u>5</u> # of PT Firefighters <u>35</u> <u>Paid Volunteers</u> # EMT _____    # Paramedics _____ Vehicles _____    Facilities _____ Full-Time _____    Part-Time _____    Volunteers _____ EMT _____    Paramedic _____
<b>Police</b>	
1. Police Station Address 2. Average Response Time (Minutes) 3. Is Facility ADA Accessible (Yes/No) 4. Number of Police Vehicles 5. Number of Employees 6. Personnel needs during next 5 years	Yes # Full-time Police _____    # of Part-time Police _____ # Full-time _____    # Part-time _____

<b>Recreation/Cultural</b>	
<p>1. Recreation (parks) and Cultural Facilities (libraries, opera houses, etc.) Available</p> <p>List main features of each park (playground, ball diamonds, rodeo grounds, swimming pool, picnic pavilion, picnic tables, tennis courts, basketball courts, roller skating rink, grandstand etc.)</p> <p>2. Are all of the above fully ADA Accessible? (Yes/No)</p> <p>3. Additional recreation facilities needed during next five years</p>	<p><b>Swimming Pool - Veterans Park (Old City Park, 75 East Telegraph) -</b> Covered Pavilion, Playground Equipment, Restrooms &amp; Large Playing Field</p> <p><b>Nisson Park, 151 West Telegraph or 30 S. 200 W. -</b> Covered Pavilion, Playground Area, Basketball Hoops, Walking Path, Picnic Tables, Restrooms, and Large Playing Field</p> <p><b>Heritage Park, Coral Canyon Boulevard/Territory Canyon Drive -</b> Pee-Wee League Basketball Field, Soccer Field, Several Playgrounds, Basketball Court, Sand Volleyball Court &amp; Stage</p> <p><b>Pine View Park, 2050 S. Alveno Drive -</b> Eight Acre Park with 2 Covered Pavilions, Picnic Tables, 2 Playgrounds (1 with Splash Pad), 1 Full Basketball Court, 1 half court Basketball Court, Restrooms, Large Playing Field, and Walking Paths</p> <p><b>Highland Park off Telegraph Street -</b> Six and one-half acre park with Pavilion Areas, Jogging Paths and Large Play Area</p> <p><b>Sienna Hills Park, East of Washington Parkway -</b> 4 ½ Acre Park with Splash Pad, Basketball Courts, Pavilions and Individual Picnic Areas</p> <p><b>Razor Ridge Park, Coral Ridge Drive -</b> 4 Acre Park including urban fishing</p> <p><b>Green Springs Neighborhood Park, Green Springs Drive -</b> 10 Acre Park with Splash Pad, Pickleball Courts, ½ Basketball Court, Individual Picnic Areas and Several Pavilions</p> <p>Yes</p> <p>Community Center/County Library Branch under construction. Anticipated completion 2008</p>
<b>Sewer Systems</b>	
<p>1. Is there a sewer system? (Yes/No)</p> <p>2. Type of System (i.e. lagoon, sewage treatment plant)</p> <p>3. Is system functioning as designed? (Yes/No)</p> <p>4. Is system adequate for current use? (Yes/No)</p> <p>5. Does City/Town believe system will be adequate for next five years? (Yes/No)</p>	<p>Yes</p> <p>Pressurized Sewer System</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>
<b>Culinary Water</b>	
<p>1. What are sources of culinary water</p> <p>2. Total gallons (per day) source water available</p> <p>3. Storage capacity in (million gallons) i.e. 0.5 MG</p> <p>4. Number of water connections</p> <p>5. Average overall daily use in gallons</p> <p>6. Average per connection use in gallons</p>	<p>Wells <u>8</u> Springs <u>    </u> Surface Water <u>    </u> Mill Creek (6); Grapevine (2)</p> <p>Micro Filtration Plant on-line. Implementing Sand Hollow wells and pipeline as additional resources</p> <p>Residential <u>          </u> Commercial <u>          </u></p>
<b>Secondary Water (Irrigation) System</b>	
<p>1. Does community have a secondary water system? Yes/No</p>	<p>Irrigation System consists of six districts or streams: Spoul, Westover, Warmspring East, Warmspring West, Adair and Tanner.</p>

# Jurisdiction's Self-Assessment

## Washington City

Please complete the following "self-assessment" table using a scale of 1 to 10. 1 meaning completely inadequate ← →10 meaning extremely well-addressed			
			RATING 1-10
			Last Year
			2008
Fire Department Facilities			10
Fire Department Equipment			10
Fire Department Staffing/Volunteers			10
Police/Public Safety Facilities			10
Police/Public Safety Staffing			10
Recreational Facilities			10
Community Sewer System			10
Culinary Water System Source			10
Culinary Water System Storage			10
Culinary Water System Distribution			9
Streets and Roads			7
Streets and Roads Maintenance			7
Solid Waste Disposal			N/A
Health Care (public or private)			N/A
Animal Control Services			10
Court Facilities			8
Jail Facilities			N/A
Housing - Low to Moderate Income		(new assessment item for 2008)	N/A
Housing - Needs for Area Workforce		(new assessment item for 2008)	N/A

Does the city/town believe that the culinary water system will be adequate for the next 5 years? Yes\_\_ No\_\_

Please list and describe any changes, positive or negative, in your community's facilities or infrastructure in the past year:

Washington City added a new community center, which has created a lot of excitement in the area.

Briefly describe any significant economic development activity, positive or negative, that has occurred in your jurisdiction in the past year: N/A

---



---